





2023-2024 FIRST® Tech Challenge

Game Manual Part 1 – Remote Events

Sponsor Thank You

Thank you to our generous sponsor for your continued support of the FIRST® Tech Challenge!



Revision History				
Revision	Date	Description		
1	7/11/2023 Initial Release			
1.1	9/9/2023	 Section 6.1 – Clarified advancement criteria from qualifying tournaments Section 6.2, 9.2.6, 9.5 Updated reference to RTX for Innovate Award Removed sponsored by Arm for Control Award Section 7.2.1 – Vision cameras must have exactly one image sensor for stream captured images/video Section 7.2.1 – 		
		 Vision sensors must have exactly one image sensor not able to stream captured images/video Added examples of vision sensors Section 7.3.3 – <re01> secondary power switches are allowed</re01> <re12> Added to rule that focused light sources are not allowed except those</re12> 		
		 listed in <re12>.c&g</re12> Section 7.3.4 - <ds03> Removed ASIN# for Etpark Wired Controller for PS4 Clarification that electrical modifications of any gamepads are not allowed </ds03> Section 7.4 - Added Team Game Element construction rules Section 7.5 - Added Team Scoring Element construction rules Section 10.0 - Added Dean's List Award criteria Appendix B - Updated robot inspection sheet to include TGE and TSE inspection rules Appendix E - Added Control Award Submission Form 		
1.2	10/4/2023	 Section 7.3.3 – Rule <re11>d, Voltage and/or current sensors must be powered per rule <re05>c.</re05></re11> Added sections 7.4 and 7.5 Section 9.2.5 – Added sub section 9.2.5.1 – Use of AI for engineering portfolio is allowed. Section 9.4.1.1 – Teams no longer need to request judging feedback. Feedback will be given to every team. Appendix B – Updated Robot Inspection Checklist Corrected spacing Expanded <dr05> rule summary</dr05> Appendix F – Updated Award Terms and Conditions 		
1.3	11/15/2023	 Section 6.1 – Added further clarification about teams participating outside of their region Section 7.4 - <te01> Team Props must be inspected in their gameplay configuration</te01> Section 7.5 Added link to "Is Your Drone Legal" doc < <dr01> Drones must be inspected in their gameplay configuration </dr01> Section 8.4 – Inspection 		
1.4	1/10/2024	 Section 6.1.2 – Clarified that teams cannot be considered for the Inspire award at another qualifying OR league tournament Section 7.3.3 <re06> Removed orange box that previously stated Android phones no longer being legal as a Robot Controller on the 2024-2025 season.</re06> 		

Contents

Contents	. 3
1.0 Introduction	. 7
What is FIRST® Tech Challenge?	. 7



6.0 Advancement Criteria	16
6.1 Eligibility for Advancement	16
6.1.1 Award Eligibility	17
6.1.2 Inspire Award Eligibility	17
6.2 Order of Advancement	17
6.2 Order of Advancement	17
7.0 The Robot	19
7.1 Overview	19
7.2 Robot Control System	19
7.2.1 Robot Technology Definitions	19
7.3 Robot Rules	20
7.3.1 General Robot Rules	20
7.3.2 Robot Mechanical Parts and Materials Rules	23
7.3.3 Robot Electrical Parts and Materials Rules	24
7.3.4 Driver Station Rules	31
7.3.5 Robot Software Rules	33
7.4 Team Game Element	36
7.5 Team Scoring Element Construction Rules	37
8.0 Inspection	38
8.1 Description	38
9.0 Judging and Award Criteria	38
9.1 Overview	38
9.1.1 Key Terms and Definitions	38
9.2 Engineering Portfolio	39
9.2.1 Overview	39
9.2.2 What is an Engineering Portfolio?	39
9.2.3 Engineering Portfolio Formats	39
9.2.4 Engineering Portfolio Requirements	39
9.2.5 Engineering Portfolio Recommendations	40
9.2.5.1 Artificial Intelligence in the Engineering Portfolio	40
9.2.6 Engineering Portfolio Requirements by Award	40
9.3 Engineering Notebook	42
9.4 Judging Process, Schedule, and Team Preparation	42
9.4.1 How Judging Works	42
9.4.1.1 Feedback to Teams	43
9.4.1.2 Teams Without a Robot	43
9.4.2 Judging Schedule	43

9.4.3 Team Preparation	44
9.4.4 Coaches Involvement in Interviews	44
9.4.4.1 Coaches Involvement in Interviews Exceptions	44
9.4.5 Video Award Submission Guidelines for Compass and Promote Awards	44
9.5 Award Categories	45
9.5.1 Inspire Award	45
9.5.2 Think Award	45
9.5.3 Connect Award	46
9.5.4 Innovate Award sponsored by RTX	47
9.5.5 Control Award:	47
9.5.6 Motivate Award	48
9.5.7 Design Award	48
9.5.8 Promote Award (Optional)	49
9.5.9 Compass Award (Optional)	49
9.5.10 Judges' Choice Award	49
9.5.11 Winning Alliance Award	50
9.5.12 Finalist Alliance Award	50
10.0 Dean's List Award	50
10.1 Eligibility	50
10.2 Criteria	50
10.3 Dean's List Nominations	51
Appendix A – Resources	52
Game Forum Q&A	52
Volunteer Forum	52
FIRST Tech Challenge Game Manuals	52
FIRST Headquarters Pre-Event Support	52
FIRST Websites	52
FIRST Tech Challenge Social Media	52
Feedback	52
Appendix B – Robot Inspection Checklist	53
Appendix C – Field Inspection Checklist	56
Appendix D – Control Award Instructions	58
Appendix E – Control Award Submission Form	59
Appendix F – Award Terms and Definitions	60



1.0 Introduction

What is FIRST® Tech Challenge?

FIRST® Tech Challenge is a student-centered program that focuses on giving students a unique and stimulating experience. Each year, teams engage in a new game where they design, build, test, and program autonomous and driver operated robots that must perform a series of tasks. Participants and alumni of FIRST programs gain access to education and career discovery opportunities, connections to exclusive scholarships and employers, and a place in the FIRST community for life. To learn more about FIRST® Tech Challenge and other FIRST® Programs, visit www.firstinspires.org.

FIRST Core Values

The FIRST Core Values emphasize friendly sportsmanship, respect for the contributions of others, teamwork, learning, and community involvement and are part of our commitment to fostering, cultivating, and preserving a culture of equity, diversity, and inclusion. The FIRST Community expresses the FIRST philosophies of Gracious Professionalism® and Coopertition® through our Core Values:

- **Discovery:** We explore new skills and ideas.
- **Innovation:** We use creativity and persistence to solve problems.
- **Impact**: We apply what we learn to improve our world.
- **Inclusion:** We respect each other and embrace our differences.
- **Teamwork:** We are stronger when we work together.
- Fun: We enjoy and celebrate what we do!

2.0 Gracious Professionalism®

FIRST® uses this term to describe our programs' intent.

Gracious Professionalism® is a way of doing things that encourages high-quality work, emphasizes the value of others, and respects individuals and the community.

Watch Dr. Woodie Flowers explain *Gracious Professionalism* in this short video.

3.0 The Competition -Rules and Definitions

3.1 Overview

Students that engage in the FIRST Tech Challenge program develop Science, Technology, Engineering, and Math (STEM) skills and practice engineering principles while realizing the value of hard work, innovation, and sharing ideas. Competitions are exciting sporting events with Robot Matches, judging interviews, and Teams and Robot performance awards. This section provides critical information that will help Teams have a fun and successful Competition day.

There are three formats of Competition a Team might experience this season; traditional, remote, and hybrid events. This manual describes traditional events; however, some *Teams* may switch between formats depending on social distancing rules within their state/region. Below are descriptions of these formats.

3.1.1 Traditional Events

A traditional FIRST Tech Challenge event is typically held in a school or college gymnasium, where Teams use Robots to compete in the current season's game challenge. Teams participating in traditional events compete with Alliance partners in a head-to-head style of competition on the official FIRST Tech Challenge Playing Field. Teams compete in a series of Matches that determine their ranking at a traditional Tournament. The size

of a traditional event can range anywhere from 8 Teams to over 50 Teams competing in one place. Traditional events are generally scheduled by the local program delivery partner, and are run by many volunteers including referees, judges, scorekeepers, queuers, and other key volunteers. Traditional events consist of Robot inspections, Robot Competitions, judging interviews (for most Competitions), and an overall celebration of Teams and their accomplishments.

3.1.2 Remote Events

Remote events were developed to mimic traditional FIRST Tech Challenge events, while practicing social distancing guidelines. Since Teams may not be able to gather and compete in the traditional head-to-head competition format, the season's official full Playing Field has been adapted to allow Teams to play as a single Team. Remote Teams may order an official half version of this season's field, or compete using a modified version of the field, which will be released at kickoff on 9/9/2023. Teams will sign-up for events and will be provided with a time window to submit their own Match scores, which will determine their rankings. Unlike traditional events, the scoring of the official *Matches* is done by the *Team*, rather than an event volunteer. Teams will participate in judging interviews via video conference when judging is part of the event. To learn more about remote events, please read the Game Manual Part 1 - Remote Events manual.

3.1.3 Hybrid Events

A Hybrid event blends traditional in-person match play with judging interviews held via video conference. Teams use Robots to compete in the current season's game challenge in the traditional style of an in-person event and participate in judging remotely using a video conferencing tool for their initial and follow-up presentations with the judge panel.

3.2 Eligibility to Compete in Official FIRST Tech Challenge Competitions:

3.2.1 North America Team Registration

To compete in an official FIRST Tech Challenge Competition at any level, a Team must be registered and in good standing with FIRST.

- 1. The *Team* must complete the registration process through the Team Registration System.
- 2. The *Team* registration fee must be paid.
- 3. Two adults must pass the Youth Protection screening process.

3.2.2 Outside North America Registration

Teams outside of North America are required to register through the Team Registration System. Fees will not be due to FIRST for the registration. Teams outside of North America should consult the program delivery partner in their region for program fees, youth protection screening, and product purchase.

3.2.3 Youth Team Member Registration

Every youth *Team* member competing on a *FIRST* Tech Challenge *Team* is required to register through the https://www.firstinspires.org dashboard. Every Team member's parent or legal guardian must then electronically accept the consent and release form. Instructions on how to register youth *Team* members can be found on our website: https://www.firstinspires.org/resource-library/youth-registration-system

3.3 Competition Types

FIRST Tech Challenge has several types of Competitions categorized as official or unofficial events. These Competitions are created and managed by the regional program delivery partner (PDP) and hosted by a tournament director or local *Team* throughout the *FIRST* Tech Challenge season and off season. Information regarding regional events can be found on https://ftc-events.firstinspires.org. The advancement criteria for moving to the next *Tournament* level is detailed in section 6.0.



3.3.1 Scrimmage

A scrimmage is an unofficial FIRST Tech Challenge event where Teams help each other improve their Robots, play Robot Matches, attend workshops, and socialize. Anyone can host a scrimmage to prepare for an official Competition. Teams hosting a scrimmage are required to tell their local program delivery partner that such an event is taking place. Teams that choose to create and host a local scrimmage are responsible for finding a location, organizing the format for the day, and inviting other *Teams* to participate. *Teams* may also have to secure the field elements, computers, and other items.

3.3.2 League Meets

A league meet is an official FIRST Tech Challenge Competition in which a Team's rankings follow the Team to future meets and the league Tournament. League meets include Qualification Matches but no judging sessions, awards, or Elimination Matches. Teams participating in league meets are expected to play in a minimum of ten Qualification Matches spread across several meets prior to the league Tournament. Whenever possible, it is highly encouraged that *Teams* participate in as many meets as they can. Rankings from one meet to the next accumulate as outlined in section 5.3.

3.3.3 Qualifying Tournaments and League Tournaments

League Tournaments and qualifying Tournaments include Qualification Matches, Elimination Matches, judging sessions and awards. Teams may compete in multiple qualifying Tournaments in a season. Teams may only participate in one league for the season, and therefore only one league Tournament each season. Qualifying Tournaments and league Tournaments are held before regional championship Tournaments. The number of Teams advancing to the regional championship Tournament depends on the capacity of the regional championship Tournament, the number of qualifying Tournaments and/or league Tournaments, and the number of Teams attending the Tournaments.

3.3.4 Super Qualifying Tournaments

A super qualifying *Tournament* is an official *FIRST* Tech Challenge *Competition* in which *Teams* participate in qualifying Tournaments and/or a league Tournament to advance to the super qualifying Tournament, then advance to the regional championship Tournament. These Tournaments are held in regions with large numbers of Teams.

3.3.5 Regional Championship Tournaments

Regional championship *Tournaments* are hosted and managed by a *FIRST* Tech Challenge program delivery partner. In most regions, Teams are required to advance from a qualifying Tournament or league Tournament to participate, while some regions host a single regional championship Tournament. Regional Championship Tournaments may include Teams from a geographic region, province, state, country, or several countries. Teams should expect a higher level of Competition, both on the field and in the judging sessions at regional championship Tournaments.

3.3.6 FIRST Championship

Hosted and managed by FIRST, the FIRST Championship, held in Houston, Texas is the culminating event for all FIRST programs. FIRST Tech Challenge Teams advance to the FIRST Championship through their regional championship Tournament. The FIRST Championship includes Teams from many countries, and Teams should expect a higher level of Competition, both on the field and in the judging sessions.

3.4 Competition Definitions

The following definitions and terms are used for a FIRST Tech Challenge Competition. Defined terms begin with a capital letter and are italicized throughout the manual (for example, Alliance). Competition rules mean exactly and only what it plainly says. If a word isn't given a game definition, then you should use its common conversational meaning.

Alliance Station - The designated "red" or "blue" Alliance area next to the Playing Field where the Drive Team stands or moves within during a Match. Station One is the position in the Alliance Station that is closest to the audience.

AprilTag - A visual fiducial system, useful for a wide variety of tasks including augmented reality, robotics, and camera calibration¹. Information about AprilTags may be found here: https://ftcdocs.firstinspires.org/en/latest/apriltag-intro

Autonomous Period – A thirty-second (0:30) *Match* period in which the *Robots* operate and react only to sensor inputs and to commands pre-programmed by the *Team* into the onboard *Robot* control system. Human control of the *Robot* is not permitted during this period.

Competition – A Competition is an activity a Team attends as part of the FIRST Tech Challenge program that is organized or sanctioned by the local program delivery partner or FIRST Headquarters. Competitions are all levels of FIRST Tech Challenge events that include Robot Matches or judging.

Competition Area - The Area where all the Playing Fields, scoring areas, Alliance Stations, scoring tables, and other Competition officials and tables are located.

Drive Team - Up to four representatives two (2) drivers, one (1) human player, and one (1) coach from the same Team.

Driver-Controlled Period – The two-minute (2:00) *Match* time period in which the drivers operate the *Robot*.

End Game – The last thirty seconds of the two-minute (2:00) Driver-Controlled Period.

Match - Matches are made up of several periods totaling two minutes and thirty seconds (2:30). There is a thirty (30) second Autonomous Period, followed by a two (2) minute Driver-Controlled Period. The last thirty (30) seconds of the Driver-Controlled Period is called the End Game. There is an eight-second transition between the Autonomous Period and the Driver-Controlled Period for Teams to pick up the controllers and switch programs.

Penalty - The consequence imposed for a rule or procedure violation that is identified by a referee. Penalties may also include and/or escalate to the issuing of a yellow card or red card as a result of a continued occurrence of a rule violation and upon discretion of the Referee. Please see rule <C03> for vellow and red card definitions.

Traditional Events - An Alliance's Penalty points are added to the opposing Alliance's score at the end of the Match. Penalties are further categorized into Minor Penalties and Major Penalties.

Remote Events - When a *Penalty* occurs, points are deducted from the *Score* of the *Team* that incurred the Penalty. Penalties are further categorized into Minor Penalties and Major Penalties.

Playing Field - The part of the Competition Area that includes the 12 ft. x 12 ft. (3.66 m x 3.66 m) field and all the elements described in the official field drawings.

Practice Match – A Match used to provide time for Teams to get familiar with the official Playing Field.

Qualification Match – A Match used to earn Ranking Points and Tiebreaker Points.

Ranking Points – Points that Teams earn for playing a Match that are subsequently used in the competition ranking calculation (for more information, see Section 5).



¹ See https://april.eecs.umich.edu/software/apriltag accessed on 5/18/2023.

Traditional Events – Teams earn Ranking Points for winning (two points), tying (one point), or losing or disqualification/no show (zero points) in a Qualification Match.

Remote Events – For a single *Team* competing remotely, the *Team's* final score (after applying Penalties) for a Match is used as their Ranking Points.

Robot - Any mechanism that has passed inspection and a *Team* places on the *Playing Field* before the start of a Match. To be legal, Robots must comply with the Robot build rules in section 7.0 of this manual.

Student - A person who has not completed high-school, secondary school, or the comparable level as of September 1st prior to the season Kickoff.

Team – Mentors, supporters, and *Students* affiliated with an entity registered with *FIRST*. An official *FIRST* Tech Challenge Team consists of no less than two (2) and more than fifteen (15) Student Team members and is designed for Students in grades 7-12. Students cannot be older than high school-aged if they are participating *Team* members. All *Teams* are required to register through the *Team Registration System*. For eligibility to compete in FIRST Tech Challenge events, please see section 3.2 of this document.

TieBreaker Points/Average TBP - TieBreaker Points are used as the tiebreakers when Teams have equal average Ranking Points. There are two types of TieBreaker Points, TBP1 and TBP2.

Traditional Events – For *Teams* that compete at a traditional *Competition*,

TBP1: Each Team receives their Alliance's Autonomous Period score for a Qualification Match as TBP1. Average TBP1 is the sum of the TBP1s of all non-Surrogate Qualification Matches divided by the number of *Matches* that a *Team* plays in a *Competition*.

TBP2: Each Team receives their Alliance's End Game specific task score for a Qualification Match as TBP2. Average TBP2 is the sum of the TBP2s of all non-Surrogate Qualification Matches divided by the number of Matches that a Team plays in a Competition.

Remote Events – For a single *Team* competing remotely,

TBP1: Each Team receives their Autonomous Period score for a Qualification Match as TBP1.

TBP2: Each Team receives their End Game specific task score for a Qualification Match as TBP2.

Please see section 5.0 for further explanation for how this is used to determine a *Team's* ranking.

Tournament - A Tournament is an event that advances Teams to the next level of Competition within a state/region, or to the FIRST championship.

3.5 Competition Rules

<C01> Egregious Behavior - Egregious Robot or Team member behavior is not in the spirit of Gracious Professionalism and will not be tolerated at a FIRST Tech Challenge event. Egregious behavior includes, but is not limited to, repeated and/or flagrant violation of rules, unsafe behavior or actions, and uncivil behavior towards Drive Team, competition personnel, or event attendees. In most cases, as determined by the referees, the offending team will result in a Major Penalty and issuance of a Yellow Card and/or Red Card. Subsequent violations may result in Team disqualification from the competition.

Continued and repeated violations will be brought to FIRST Headquarters attention. FIRST Headquarters will work with event staff to determine if further escalations are necessary, which can include removal from award consideration, and removal from the event.

In cases where the egregious behavior is deemed to be unsafe, such as physical contact or threatening behaviors to other event attendees, event staff will work with FIRST Headquarters to determine if the behavior warrants immediate removal of the team from the event.

<C05> One Robot Per Team - Each registered Team may enter only one Robot (a Robot built to play the current season's game challenge) into the FIRST Tech Challenge Competition. It is expected that Teams will make changes to their *Robot* throughout the season and at *Competitions*.

- a. It is against this rule to compete with one Robot while a second is being adjusted or assembled at a Competition.
- b. It is against this rule to switch back and forth between multiple Robots at a Competition.
- c. It is against this rule to use multiple *Robots* to register and attend concurrent traditional *Competitions*.
- d. It is against this rule to use a *Robot* built by another *Team*.*

Violations of this rule will immediately be considered deliberate and egregious.

*Exceptions can be made for extenuating circumstances for *Teams* that need assistance from another Team with the operation of their Robot. For example, Teams loaning out Drive Team members to another Team whose drivers have not arrived/must leave early. In events such as this, the Teams involved should notify the tournament director of the extenuating circumstance.

<C07> Qualification Match Count - Teams competing in a meet, league Tournament, qualifying Tournament, and regional championship Tournament will compete in either five (5) or six (6) Qualification Matches as determined by the tournament director. Teams competing remotely will have a total of six (6) Qualification Matches.

<C15> Safety Glasses - All Team members, coaches, and their guests must wear ANSI Z87.1 certified safety glasses while in the Pit or Competition Area. Prescription glasses with ANSI Z87.1 approved Commercial Off-The-Shelf (COTS) side shields are also allowed.

- <C16> Battery Safety Batteries must be charged in an open, well-ventilated area.
- <C17> Footwear Safety Open-toed or open-backed shoes are not allowed in the Pit Area or in the Competition Area.
- <C18> General Safety Running, skateboarding, roller skating, 'hover boards', and/or flying drones are not allowed at any Competition unless specified by game specific rules. These can create safety hazards to the Teams, spectators, or volunteers attending the Competition.
- <C20> Hazardous Materials Painting or applying harmful products, sprays, glues, or aerosols are not allowed anywhere at the Competition. This includes the Pit, Competition, and spectator areas.

Note: Teams may apply antistatic spray to their Robot if done outside the venue.

<C28> Government and Venue Requirements – Teams must comply with government and venue specific requirements (for example, wearing a mask, social distancing, tornado warning procedures, etc.).

FIRST FOR INSPIRATION & RECOGNITION OF SCIENCE & TECHNOLOGY

4.0 Competition Day Outline

Remote *Competitions* are a way for *Teams* to compete while practicing social distancing. *Teams* are required to register with *FIRST* to access the cloud-based scoring system where their official *Matches* are submitted. This section of the manual outlines what *Teams* should expect while competing in remote competitions.

4.1 Consent and Release Forms and Team Roster

Each student competing at a *FIRST* Tech Challenge *Competition* must have a signed consent and release form completed by a parent or legal guardian. **Students cannot compete without a signed consent and release form**. These forms must be filled out electronically through the *FIRST* dashboard. A parent or legal guardian of the student can create a youth *Team* member registration through the *FIRST* website and complete the consent and release form online.

4.2 Remote Competition Registration

Once a *Team* registers with *FIRST*, they must also register for their *Competition*. For event information such as dates, registration, and format, *Teams* should contact their local program delivery partner.

4.3 Judges' Interviews

At *FIRST* Tech Challenge *Competitions*, there are three parts to the judging process: 1) interview with judges; 2) evaluation of performance during the *Tournament*, and 3) evaluation of the engineering portfolio. Each *Team* will have a ten to fifteen minute "fact-finding" interview with a panel of two or three judges. At the start of the interview, *Teams* will have a maximum of 5 minutes to present to the judges. After the *Team*'s five-minute presentation, the judges will have the opportunity to ask questions about the *Team*, the *Robot*, outreach efforts, etc.

Teams that compete in a remote Competition (except for league meets, where judging interviews do not take place) are eligible for judged awards. Judging interviews are held via video conference and will be set up by either the local program delivery partner, a judge advisor, or tournament director.

Teams that are participating in an event that do not have a *Robot* are still eligible to receive an interview, and are also eligible for judged awards.

4.4 Qualification Matches

Qualification Matches are the official Matches used to determine a Teams ranking. Teams will have up to a 7 day* window for the specific remote event(s) they are registered for to submit their six (6) official Qualification Match scores to FIRST. Teams are not required to play Matches on a specific date, however any unplayed/unscored Qualification Matches not submitted within the allotted timeframe will receive a zero score. Teams are ranked using their individual Team performance after their remote event ends.

*Please be sure to check with your local program delivery partner for details about the *Match* scoring window.

4.5 FTC Scoring Software

"The FTC Scoring System is an internet-based application that allows *Teams* to score their *Matches and* participate in judging sessions remotely. *Teams* can upload their engineering portfolios, control award submissions, request judging feedback, and provide official scores for their events through the cloud-based FTC Scoring System. *Teams* receive access to the software once they have registered for the season. Each *Team* can use their firstinspires.org *Team* dashboard user account to login to https://ftc-scoring.firstinspires.org/ and submit their *Qualification Match* scores. It is required that official *Qualification Match* scores be submitted via the FTC Scoring system for remote events within the event submission window to count toward the *Team's* rankings.

The FTC Scoring System is similar to the downloadable scoring system, FTC Live, used in traditional events. Teams can run the FTC Scoring system to use the Match timers, displays, and score their Match as the Match is played.

To run the software to score a *Match* in real-time, an internet connection is required. For *Teams* competing in a location that does not have high speed internet access, the *Team* may use paper scoresheets to record the status of the Match. The Team must then ensure that the scores recorded on paper are submitted to the PDP or event admin before the remote event deadline for scores to be published.

More detailed information, such as scoring guides and video tutorials, can be found on our website: https://www.firstinspires.org/node/5146

Teams can also find remote resources on our YouTube channel: https://www.youtube.com/user/FIRSTTechChallenge

4.6 Awards and Closing Ceremony

The awards and closing ceremony celebrate the Teams and their accomplishments throughout the Competition, as well as the volunteers who helped make the Competition possible. At the awards and closing ceremony, the finalists and winners of each award are announced. For Teams competing in remote events, the awards and closing ceremony is generally done by video conference or pre-recorded broadcast.

5.0 Calculating Scores and Ranking

5.1 Competition Ranking Calculation

Ranking Points and TieBreaker Points are awarded at the end of each Match. Teams that are Surrogates, Disgualified, or do not show up (no show) for a Match receive zero Score, Ranking, and TieBreaker Point contributions towards their Ranking calculation. Please note that Ranking Points differ from traditional to remote events. Please see the definition of Ranking Points and TieBreaker points in section 3.4 of this manual.

5.1.1 Traditional Events -

Each *Team* at a *Competition* is ranked according to the following sort order:

- 1. Averaged Ranking Points; highest to lowest, then
- 2. Averaged *TieBreaker Points (TBP1)*; highest to lowest, then
- 3. Averaged *TieBreaker Points (TBP2)*; highest to lowest, then
- 4. Highest Match Score (including Penalties), then
- 5. Random Electronic Draw

Averages are based on the number of *Matches* played during a *Competition. Teams* may be required to play a Surrogate Match, which is an extra Match marked by an asterisk on a Team's Match schedule. The added Surrogate Match does not count towards their rankings or averages during the Competition.

5.1.2 Remote Events -

Each *Team* at a *Competition* is ranked according to the following sort order:

- 1. Averaged Ranking Points; highest to lowest, then
- 2. Averaged *TieBreaker Points (TBP1)*; highest to lowest, then
- 3. Averaged TieBreaker Points (TBP2); highest to lowest, then
- 4. Highest Match Score (including Penalties), then
- 5. Random Electronic Draw



Averages are based on the number of *Matches* played during a *Competition*.

5.2 League Meet and Tournament Ranking

League tournament *Team* rankings are based on the top ten (10) *Matches* from all previous league meets plus all Matches played at the league tournament. The ten (10) league meet Matches are selected using the sort order from Section 5.1. All Teams at a league tournament are ranked based on the same total number of Matches (either 15 or 16 depending on the number of Qualifying Matches at the league tournament). Teams that played fewer than ten (10) Matches at meets will have Ranking Points and TieBreaker Points that are effectively zero for the missing Matches.

5.2.1 League Meet Ranking

- Meet Ranking For meets that track the ranking of *Teams* attending that meet, rankings are based on matches played at that meet using the sort order described in section 5.1. Averages for ranking are calculated based on ten (10) Matches, regardless of the number of matches played by a Team.
- 2. League Meet Ranking A *Team's* league ranking is based on their performance at all of the meets attended up until that event. The *Team's* cumulative league ranking calculation is based on the average of the best ten (10) league meet Matches selected using the sort order described in Section 5.1. For Teams with fewer than ten (10) played meet Matches the Ranking Points and TieBreaker Points will be effectively zero for the unplayed Matches.

5.2.2 League Tournament Ranking

League tournament rankings are based on the cumulative meet league ranking described in section 5.2.1 plus all of the Matches played at the league tournament. Ranking averages are calculated across all of the cumulative ten (10) league meet Matches described in section 5.2.1 plus all Matches played at the league tournament.

5.3 Penalties

5.3.1 Traditional Events

An Alliance's Penalty points are added to the opposing Alliance's score at the end of the Match.

5.3.2 Remote Events

Penalty points are subtracted from the Team's Score. A Team's intermediate score will go negative if the Penalties incurred are more than the points they have earned in a Match. However, any negative net score will be recorded as zero (0) as the final Match score.

6.0 Advancement Criteria

6.1 Eligibility for Advancement

Teams are only eligible to advance from events within their Home Region. Teams may choose to compete at Tournaments outside of their Home Region, however, do so for the opportunity of additional gameplay and to compete with other teams from outside of their area. Teams may NOT advance from Tournaments outside of their Home Region.

Teams may only compete in one league and one league Tournament per season.

New this season: *Teams* may only advance to the next level of competition from their Home Region.

A Team can participate in a league outside their region, provided that is the only league they participate in. A Team may not advance from a league tournament to a regional championship that is outside of their region unless the program delivery partners in both regions have agreed to move a *Team* to a new region for the entire season.

This applies to both *Teams* in North America, and *Teams* outside of North America:

Tournament Type	Advances To	Special Considerations	
League Tournament	 Super Qualifying <i>Tournament</i> Regional Championship <i>Tournament</i> 	A <i>Team</i> is eligible to advance to the next Competition tier from the League <i>Tournament</i> they attend. <i>Teams</i> can only compete in one league, and therefore only one League Tournament.	
Qualifying Tournament	 Super Qualifying <i>Tournament</i> Regional Championship <i>Tournament</i> 	A <i>Team</i> may participate in more than one qualifying <i>Tournament</i> within their <i>Home Region</i> but are not eligible for consideration for awards nor are they eligible for advancement at <i>Tournaments</i> beyond their third.	
Super Qualifying Tournament	Regional Championship Tournament	 Teams advance from their Home Region super qualifying Tournament to their Home Region's regional championship. Teams can only compete in one super qualifying Tournament. 	
Regional Championship Tournament	FIRST Championship	Teams advance from their Home Region's regional championship Tournament to the FIRST Championship.	



6.1.1 Award Eligibility

Teams are eligible to be judged and considered for all awards (except for the Inspire award, see section 6.1.2 for details) at any Tournament they attend. Teams are eligible for advancement tied to the award within their Home Region. Teams may be a finalist or winner of an award when they are competing outside of their Home Region but are not eligible to advance.

6.1.2 Inspire Award Eligibility

Teams are only eligible to be considered for the inspire award at Tournaments within their own region. If a Team is competing outside of their Home Region, they cannot be considered for the inspire award, including 2nd and 3rd place inspire spots.

Teams that have won the inspire award at another qualifying or league Tournament cannot be considered for the inspire award or as an inspire award finalist at subsequent qualifying or league *Tournaments* within their Home Region.

All *Teams* are eligible to be considered for all judged awards at the *FIRST* championship.

6.2 Order of Advancement

If the *Team* listed has already advanced or there is no *Team* fitting that description (as in 2nd *Team* selected at smaller Tournaments, or 3rd place award finalists at smaller Tournaments), the advancement will continue in order.

6.2 Order of Advancement

If the *Team* listed has already advanced or there is no *Team* fitting that description (as in Award 3rd place at events of 21 or fewer Teams) the advancement will continue in order.

- 1. Inspire Award Winner
- 2. Top Ranked Team
- 3. Inspire Award 2nd place
- 4. Top Ranked 2nd place Team
- 5. Inspire Award 3rd place*
- 6. Top Ranked 3rd place Team
- 7. Think Award Winner
- 8. Top Ranked 4th place Team
- 9. Connect Award Winner
- 10. Top Ranked 5th place Team
- 11. Innovate Award sponsored by RTX Winner
- 12. Top Ranked 6th place Team
- 13. Control Award sponsored by Arm Winner
- 14. Motivate Award Winner
- 15. Design Award Winner
- 16. Highest Ranked *Team* not previously advanced
- 17. Think Award 2nd Place
- 18. Highest Ranked *Team* not previously advanced
- 19. Connect Award 2nd Place
- 20. Highest Ranked Team not previously advanced
- 21. Innovate Award sponsored by RTX 2nd Place
- 22. Highest Ranked *Team* not previously advanced
- 23. Control Award sponsored by Arm 2nd Place
- 24. Highest Ranked *Team* not previously advanced
- 25. Motivate Award 2nd Place
- 26. Highest Ranked Team not previously advanced
- 27. Design Award 2nd Place

- 28. Highest Ranked Team not previously advanced
- 29. Think Award 3rd Place*
- 30. Highest Ranked *Team* not previously advanced
- 31. Connect Award 3rd Place*
- 32. Highest Ranked Team not previously advanced
- 33. Innovate Award sponsored by RTX 3rd Place*
- 34. Highest Ranked *Team* not previously advanced
- 35. Control Award sponsored by Arm 3rd Place*
- 36. Highest Ranked Team not previously advanced
- 37. Motivate Award 3rd Place*
- 38. Highest Ranked Team not previously advanced
- 39. Design Award 3rd Place*
- 40. Highest Ranked *Team* not previously advanced
- 41. Highest Ranked *Team* not previously advanced
- 42. Highest Ranked Team not previously advanced
- 43. Highest Ranked *Team* not previously advanced
- 44. Highest Ranked Team not previously advanced
- 45. Highest Ranked Team not previously advanced
- 46. Highest Ranked Team not previously advanced
- 47. Highest Ranked Team not previously advanced
- 48. Highest Ranked Team not previously advanced
- 49. Highest Ranked Team not previously advanced
- 50. Highest Ranked Team not previously advanced
- 51. Highest Ranked Team not previously advanced



^{*} Events with 20 or fewer Teams may select an award winner and a single award finalist. Events with 21 or more *Teams* must select an award winner and a 2nd and 3rd place winner.

7.0 The Robot

7.1 Overview

A FIRST Tech Challenge Robot is a remotely operated vehicle designed and built by a registered FIRST Tech Challenge *Team* to perform specific tasks when competing in the annual game challenge. This section provides rules and requirements for the design and construction of a Robot. Teams should be familiar with the Robot and game rules before beginning Robot design.

7.2 Robot Control System

A FIRST Tech Challenge Robot is controlled by an Android-based platform. Teams will use two (2) Android Devices to control their Robot. One Android Device is mounted directly onto the Robot and acts as a Robot Controller. The other Android Device is connected to one or two gamepads to make up the Driver Station.

For more information, tutorials, and to access our Android Technology forum, please visit: https://www.firstinspires.org/resource-library/ftc/technology-information-and-resources.

7.2.1 *Robot* Technology Definitions

Android Device - An electronic device running the Android operating system. See rules <RE07> and <RS03> for a list of allowed devices and operating system versions.

Driver Station – Hardware and software used by a *Drive Team* to control their *Robot* during a *Match*.

Logic Level Converter – An electronic device that allows an encoder or sensor, that operates using 5V logic levels, to work with the REV Expansion Hub and/or REV Control Hub, which operates using 3.3V logic levels. This device may contain a step-up voltage converter (from 3.3V to 5V) and a dual channel, bidirectional logic level converter. This device may be used directly with a 5V digital sensor or with an I2C Sensor Adaptor Cable to a 5V I2C sensor.

I2C Sensor Adapter Cable - An adapter to change the pin orientation of the REV Robotics Logic Level Converter to match a Modern Robotics compatible I2C sensor.

Mini USB to OTG (On-The-Go) Micro Cable - The connection between the Smartphone Android Device Robot Controller and the REV Expansion Hub.

Op Mode – An Op Mode (short for "operational mode") is software that is used to customize the behavior of a Competition Robot. The Robot Controller executes a selected Op Mode to perform certain tasks during a Match.

OTG Micro Adapter - Connects a USB hub to Micro USB OTG (On-The-Go) port on a smartphone Driver Station Android Device.

REV Control Hub – An integrated Android Device with four (4) DC motor channels, six (6) servo channels, eight (8) digital I/O channels, four (4) analog input channels, and four (4) independent I2C buses.

REV Driver Hub - A compact mobile Android Device designed specifically for use as part of the Driver Station.

REV Expansion Hub - An integrated electronic device with four (4) DC motor channels, six (6) servo channels, eight (8) digital I/O channels, four (4) analog input channels, and four (4) independent I2C buses.

REV SPARKmini Motor Controller - An electronic device that accepts a PWM control signal (from a servo controller) and supplies 12V power to a DC motor.

REV Servo Power Module – An electronic device that boosts the power supplied to 3-wire servos. A REV Servo Power Module has 6 input servo ports and 6 matching output ports. It draws power from a 12V source and provides 6V power to each output servo port. A REV Servo Power Module can provide up to 15A of current across all output servo ports for a total of 90 Watts of power per module.

Robot Controller – A REV Control Hub or an allowed smartphone Android Device connected to a REV Expansion Hub located on the Robot that processes Team written software, reads on-board sensors, and receives commands from the Drive Team by way of the Driver Station. The Robot Controller sends instructions to the motor and servo controllers to make the Robot move.

VEX Motor Controller 29 - An electronic device that accepts a PWM control signal from a servo controller through a REV Servo Power Module to drive a VEX EDR 393 motor.

Vision Camera – COTS devices with exactly one image sensor able to stream captured images and/or video. Vision cameras must be UVC compatible and must connect directly to a REV Control Hub via USB or to the Robot Controller through a powered USB hub. Common Vision Cameras are the Logitech C270 HD, Logitech C920 HD PRO, and Microsoft Lifecam HD-3000.

Vision Sensor - COTS devices with exactly one image sensor not able to stream captured images and/or video. Instead, the images and/or video is processed by on-board algorithms and only the results are communicated back to a computer or system. Vision Sensors must follow all sensor rules in <RE11>. Common Vision Sensors are the HuskyLens and Pixy2, though only the HuskyLens has included SDK support as of SDK 9.0.

7.3 Robot Rules

Anyone that has attended a FIRST Tech Challenge Competition knows that Teams think outside the kit-ofparts (TETRIX and REV FIRST Tech Challenge Competition Sets, REV EDU Kit, etc.) to create unique and creative Robots. The intent of the Robot construction rules is to create a level playing field and a framework for Teams to build Robots that safely play the annual game challenge. Teams should read all the Robot rules before building their Robot. Teams can also reference our Legal and Illegal Parts List on our website for common legal and illegal Robot parts. Some suppliers' websites may claim that a part is FIRST Tech Challenge approved. The only official references for the legality of parts and materials are the Game Manual Part 1, the Legal and Illegal Parts List, and the Official Game Q&A Forum.

7.3.1 General Robot Rules

It is the intent of FIRST to encourage creativity in design as long as it does not present a safety hazard or unfairly affect the opportunities of any *Teams* to compete. Although there is significant creative freedom allowed in the Robot design rules, Teams should consider the adverse effects of any design decisions that they make. When considering your *Robot* design and your game strategy, ask yourself the following questions. If the answer to any of these questions is yes, the design part is not allowed:

- Could it damage or disable another *Robot*?
- Could it damage the *Playing Field*?
- Could it injure a participant or volunteer?
- Is there already a rule that restricts this?
- If everybody did this, would the gameplay be impossible?

<RG01> Illegal Parts - The following types of mechanisms and parts are not allowed:

- a. Those used in a Robot drive system that could potentially damage the Playing Field and/or Scoring Elements such as high traction wheels (for example, AndyMark am-2256) and high grip tread (for example, Roughtop, AndyMark am-3309).
- b. Those that could potentially damage or flip other competing *Robots*.



- c. Those that contain hazardous materials such as mercury switches, lead, or lead containing compounds, or lithium polymer batteries (except for the Android Devices' internal batteries).
- d. Those that pose an unnecessary risk of entanglement.
- e. Those that contain sharp edges or corners.
- Those that contain animal-based materials (because of health and safety concerns).
- g. Those that contain liquid or gel materials.
- h. Those that contain materials that would cause a delay of game if released (for example, loose ball bearings, coffee beans, etc.).
- Those that are designed to electrically ground the *Robot* frame to the *Playing Field*.
- Closed gas devices (for example, gas storage vessel, gas spring, compressors, pneumatic tires, etc.).
- k. Hydraulic devices.
- Vacuum based mechanisms.

<RG02> Maximum Starting Size - The maximum size of the Robot for starting a Match is 18 inches (45.72) cm) wide by 18 inches (45.72 cm) long by 18 inches (45.72 cm) high. The only exceptions are:

- a. Preloaded game elements may extend outside the starting size constraint.
- b. Flexible materials (i.e., zip tie, surgical tube, string, etc.) may extend up to 0.25 inches (0.635 cm) beyond the 18 inch (45.72 cm) size constraint.
- c. Robots may expand beyond the starting size constraint after the Match starts.

During inspection, a robot sizing tool will be used as the official gauge to make sure *Robots* comply with this rule. To pass inspection, a *Robot* must satisfy all of the following requirements:

- d. *Robot* is placed on its drivetrain inside the robot size tool.
- e. The *Robot* must maintain the same shape/configuration as it will have at the start of a *Match*.
- Fit completely within the robot sizing tool in the same manner that it sits on the *Playing Field* floor at the start of a Match.
- g. Be fully self-supported (i.e., does not exert force on the sides or top of the sizing tool) by either:
 - A mechanical means while powered-off.
 - ii. Powered-on using mechanical means and/or an Autonomous Op Mode initialization routine that pre-positions servo motors to the desired stationary position.

<RG03> Team Number Display - Robots must prominently display their Team number (numerals only, for example "12345") on two separate signs. The intent of this rule is for field personnel to easily identify *Robots* by Team number from at least 12 feet (3.66 meters) away.

- a. Team number must be visible from at least **two** opposite sides of the Robot (180 degrees apart).
- b. The numerals must each be at least 2.5 inches (6.35 cm) high and in a contrasting color from their background.
- c. *Team* numbers must be robust enough to withstand the rigors of *Match* play. Example robust materials include: 1) self-adhesive numbers (mailbox or vinvl numbers) mounted on polycarbonate sheet, wood

panel, metal plate, etc. or 2) Ink jet or laser printed numbers on paper and laminated.

d. If used, illuminated *Team* numbers must be legible when they are not powered on.

<RG04> Alliance Marker - Robots must include a Team supplied, Alliance specific marker on two opposite sides of the Robot to easily identify which Alliance a Robot is assigned to. The Alliance marker must be displayed on the same side of the Robot as the Team number, within a 3-inch (7.62 cm) distance of the number. The intent of this rule is to allow field personnel to easily identify the Robot's Alliance.

- a. The red Alliance marker must be a solid red square, 2.5 inches x 2.5 inches (6.35 cm x 6.35 cm) +/-0.25 inches (0.64 cm).
- b. The blue Alliance marker must be a solid blue circle, 2.5 inches (6.35 cm) +/- 0.25 inches (0.64 cm) in diameter.
- c. The Alliance marker must be visible to the referees during a Match and must indicate the Alliance color for the Match.
- d. The Alliance marker must be robust enough to withstand the rigors of Match play. Example robust materials include: 1) Alliance marker template printed and laminated; 2) painted or gaff tape covered polycarbonate sheet, wood panel, metal plate, etc.

It is highly recommended that the *Team* add their *Team* number anywhere to their *Alliance* marker. This allows field personnel the ability to return Alliance markers that might be left on the Playing Field.

An Alliance Marker template is located on the FIRST Tech Challenge game and season page https://www.firstinspires.org/resource-library/ftc/game-and-season-info

<RG05> Allowed Energy Sources - Energy used by FIRST Tech Challenge Robots (that is, stored at the start of a *Match*), shall come only from the following sources:

- a. Electrical energy drawn from approved batteries.
- b. A change in the position of the *Robot* center of gravity.
- c. Storage achieved by deformation of *Robot* parts. *Teams* must be careful when incorporating spring-like mechanisms or other items to store energy on their *Robot* by means of part or material deformation.

<RG06> Detached Robot Parts – Robots may not detach parts of the Robot. Tethered elements of the Robot are considered detached if either is able to move independently of the other.

<RG07> Propelling Game Scoring Elements – Robots can propel (i.e., able to move independently of the Robot) scoring elements unless limited by a game specific rule. If allowed, Robots may only propel the elements with enough velocity to score. Propelling elements with excessive velocity could create a safety hazard for other *Teams* and field personnel. If the referees feel that a *Robot* is propelling scoring elements with excessive velocity, the Robot must be re-inspected. Robots must then show that a propelled scoring element cannot travel in the air more than a 18 ft. (5.49 m) distance or more than 5 ft. (1.52 m) in elevation.

FIRST. FOR INSPIRATION & RECOGNITION OF SCIENCE & TECHNOLOGY

7.3.2 Robot Mechanical Parts and Materials Rules

<RM01> Allowed Materials - Teams may use raw and post-processed materials to build their Robots, provided these materials are readily available to all Teams (for example, McMaster-Carr, Home Depot, Grainger, AndyMark, TETRIX/PITSCO, MATRIX/Modern Robotics, REV Robotics, etc.).

Examples of allowed raw materials are:

- Sheet goods
- Extruded shapes
- Metals, plastics, wood, rubber, etc.
- Magnets

Examples of allowed post-processed materials are:

- Perforated sheet and diamond plate
- Injection molded parts
- 3D printed parts
- Cable, string, rope, filament, etc.
- Springs of all types: compression, extension, torsion, surgical tubing, etc.

<RM02> Commercial Off-The-Shelf Parts - Teams may use Commercial Off-The-Shelf (COTS) mechanical parts that have a single degree of freedom. For the FIRST Tech Challenge, a single degree of freedom part uses a single input to create a single output. The following are examples of single degree of freedom parts:

- Linear Actuator: a single rotary input results in a single direction linear output
- Pully: rotates around a single axis
- Single Speed Gearbox: a single rotary input results in a single rotary output

It is the intent of FIRST to encourage Teams to design their own mechanisms rather than buying pre-designed and pre-manufactured solutions to achieve the game challenge. Purchased mechanism kits (for example, grippers) that violate the single degree of freedom rule, either assembled or requiring assembly, are not allowed.

Examples of allowed COTS parts:

- Linear Slide Kit
- Linear Actuator Kit
- Single Speed (non-shifting) Gearboxes
- Pulley
- Turntable
- Lead Screws

Examples of illegal multiple degrees of freedom COTS parts:

- Gripper Assemblies or Kits
- **Ratcheting Wrenches**

Exceptions to the single degree of freedom rule <RM02> are:

COTS drive chassis (for example, AndyMark TileRunner, REV Mecanum Drivetrain Kit, TETRIX Flex-Build Robot Chassis, etc.) are allowed provided none of the individual parts violate any other rules.

- Holonomic wheels (omni or mecanum) are allowed.
- Dead-wheel Odometry Kit a combination of an encoder, a free-spinning omnidirectional wheel, an optional tensioner, and an enclosure used to accurately measure the wheel's rotation.

<RM03> Modifying Materials and COTS Parts - Allowed materials and legal COTS parts may be modified (drilled, cut, painted, etc.), as long as no other rules are violated.

<RM04> Allowed Assembly Methods - Welding, brazing, soldering, and fasteners of any type are legal methods for assembling a *Robot*.

<RM05> Lubricant - Any COTS lubricant is allowed, if it does not contaminate the *Playing Field*, scoring elements or other Robots.

<RM06> Current Season Game and Scoring Elements - The following season game and scoring elements are not allowed for *Robot* construction:

- a) COTS current or previous season's scoring elements.
- b) Team manufactured replicas of COTS current or previous season's scoring elements.
- c) AprilTag or fiducial images of any type are not allowed.

7.3.3 Robot Electrical Parts and Materials Rules

There are many possible ways to build and wire a *Robot*. These rules provide specific requirements on what is and is not allowed. Teams must ensure that electrical and electronic devices are used consistently with manufacturer's requirements and specifications. Teams are encouraged to review the FIRST Tech Challenge Robot Wiring Guide for suggestions on how to build a Robot with safe and reliable wiring.

<RE01> Main Power Switch - Exactly one Robot main power switch must control all power provided by the Robot main battery pack. FIRST requires Teams to use either the TETRIX (part # W39129), MATRIX (part # 50-0030), REV (REV-31-1387), or AndyMark (am-4969) power switch. This is the safest method for *Teams* and field personnel to shut down a Robot.

> Beginning in the 2024-2025 competition season, the MATRIX (part #50-0030) power switch will no longer be allowed.

The Robot main power switch must be mounted or positioned to be readily accessible and visible to field personnel. A main Robot Power label must be placed near the main power switch of the Robot. Attach the image ("POWER BUTTON") to your *Robot* near the main power switch. To be easily seen by field personnel the label should be at least 1 in x 2.63 in (2.54 cm x 6.68 cm, Avery Label # 5160) and placed on a flat surface (not wrapped around corners or cylinders).

Secondary *Robot* power switches downstream from the main power switch are allowed. It is recommended that any secondary power switch be labeled as a secondary switch in a manner dissimilar to the *Robot* Main Power Switch. Secondary switches must be one of the four allowed power switches specified in this rule.



The *Robot* main power switch should be mounted on the *Robot* so it is protected from *Robot*-to-*Robot* contact to avoid inadvertent actuation or damage.



<RE02> Battery Mount - Batteries must be securely attached (for example, VELCRO, hook and loop strips, cable ties, rubber band) to the Robot in a location where they will not make direct contact with other Robots or the Playing Field. Batteries should be protected from contact with sharp edges and protrusions (screw heads, screw ends, etc.)

<RE03> Robot Main Battery – All Robot power is provided by exactly one (1) 12V Robot main battery. The Robot main battery must include a replaceable in-line 20A fuse. Only one (1) of the approved battery packs is allowed on the Robot.

The only allowed *Robot* main power battery packs are:

- a. TETRIX (W39057, formally 739023) 12V DC battery pack
- b. Modern Robotics/MATRIX (14-0014) 12V DC battery pack
- c. REV Robotics (REV-31-1302) 12V DC Slim Battery pack

Note: There are similar looking batteries available from multiple sources, but the ONLY legal batteries are those listed above.

<RE04> Fuses - Fuses must not be replaced with fuses of higher rating than originally installed or according to manufacturer's specifications; fuses may not be shorted out. Fuses must not exceed the rating of those closer to the battery. If necessary, a fuse may be replaced with a smaller rating. Replaceable fuses must be single use only; self-resetting fuses (breakers) are not allowed.

<RE05> Electronics Power – Electronics power is constrained by the following:

- a. The 12V Robot main battery, with the exception of power extension wire, must connect only to the Robot main power switch. The Robot main power switch regulates 12V power to the rest of the Robot. It is recommended to keep the path between the Robot main battery and Robot main power switch as short as possible using the largest possible diameter of wire.
- b. Only the following electronic devices may be connected to 12V power, either by connecting directly to the Robot main power switch, a pass-through power connector on a REV Control Hub or REV Expansion Hub, or a power distribution block:
 - i. REV Control Hub
 - ii. REV Expansion Hub
 - iii. REV Servo Power Module
 - iv. REV SPARKmini Motor Controller
 - v. Power distribution blocks (for example, REV XT30 Power Distribution Block, et. al.)
 - vi. Voltage/Current Sensors
 - vii. 12V Input Power LED controller/driver (for example. REV Blinkin LED Driver)

It is highly recommended to keep the path between the Robot main power switch and the REV Control Hub and/or REV Expansion Hub(s) as short as possible using the largest possible diameter of wire.

- c. Allowed sensors are only powered by the REV Expansion Hub or REV Control Hub via analog, digital, encoder, or I2C ports per <RE11>.
- d. Vision Cameras must be connected directly to a REV Control Hub, or to the Robot control system

through a powered USB hub per <RE13>.

- e. LEDs and other light sources must be powered per <RE12>.
- The smartphone Robot Controller Android Device must be powered by its own internal battery or by the built-in charging feature of the REV Expansion Hub; external power is not allowed.

<RE06> Robot Controller - Exactly one (1) Robot Controller is required. The Robot Controller must be the only source of control for the Robot. A Robot Controller is comprised of:

- a. A REV Control Hub; or
- b. An allowed smartphone Android Device connected to a REV Expansion Hub

In addition to "a" or "b" above, a Robot may also contain:

- c. No more than one additional REV Expansion Hub
- d. Any quantity of REV SPARKmini Motor Controllers
- e. Any quantity of REV Servo Power Modules

Important Note: The Robot Controller contains a built-in wireless radio that communicates with the Android Device in the Driver Station. The Robot Controller should not be obscured by metal or other material that could block or absorb the radio signals from the Robot Controller.

<RE07> Android Devices – The only allowed Android Devices are:

Smartphones*:

- a. Motorola Moto G4 Play (4th Generation)/Motorola Moto G4 Play***
- b. Motorola Moto G5
- c. Motorola Moto G5 Plus
- d. Motorola Moto E4 (USA versions only, includes SKUs XT1765, XT1765PP, XT1766, and XT1767)
- e. Motorola Moto E5 (XT1920)
- Motorola Moto E5 Play (XT1921)

Other:

- g. REV Driver Hub may only be used as part of the Driver Station.
- h. REV Control Hub may only be used as part of the Robot Controller and not as the Driver Station.

[†]The use of smartphones operating on Android version 6.x (Marshmallow) are no longer allowed in the 2023-2024 season. Android smartphones must use Android 7 (Nougat) or newer to be compatible with the current season's software minimum. The Moto G4 Play is no longer supported by over-the-air updates, and devices that have not yet been updated to Android 7 (Nougat) may be unable to update. Certain models might be able to be updated by the Motorola Rescue and Smart Assistance Tool, but there are no guarantees.

*A smartphone Android Device Robot Controller USB interface may only connect to a REV Expansion Hub, or a USB hub.



**The Motorola Moto G4 Play may be sold as either Motorola Moto G Play (4th gen)", or "Motorola Moto G4 Play". Either phone is acceptable however FIRST Tech Challenge highly recommends that Teams purchase either model number XT1607 or XT1609, as these are the US versions and have been tested and are fully compatible with the FIRST Tech Challenge software. Teams that have purchased phones with model numbers XT1601, XT1602, XT1603, or XT1604 may continue to use these phones as legal, however there is a potential for issues with these phones not being fully compatible with the software or the approved gamepads.

<RE08> Motor and Servo Controllers – The only allowed motor and servo controllers are: REV Expansion Hub, REV Control Hub, REV Servo Power Module, REV SPARKmini Motor Controller, and VEX Motor Controller 29.

<RE09> DC Motors – A maximum of eight (8) DC motors are allowed in any combination. The only allowed motors are:

- a. TETRIX 12V DC Motor
- b. AndyMark NeveRest series 12V DC Motors
- c. Modern Robotics/MATRIX 12V DC Motors
- d. REV Robotics HD Hex 12V DC Motor
- e. REV Robotics Core Hex 12V DC Motor

No other DC motors are allowed.

<RE10> Servos – A maximum of twelve (12) servos are allowed. Any servo that is compatible with the attached servo controller is allowed. Servos may only be controlled and powered by a REV Expansion Hub, REV Control Hub, or REV Servo Power Module. Servos may be rotary or linear but are limited to 6V or less. All servos must have a three-wire servo connector compatible with the REV Control Hub and REV Expansion Hub servo ports and may also have an optional additional sensor position output interface.

The VEX EDR 393 motor is considered a servo for the purposes of actuator allocation. It must be used in conjunction with a VEX Motor Controller 29 and a REV Servo Power Module. A maximum of two (2) VEX EDR 393 Motors per REV Servo Power Module is allowed.

<RE11> Sensors - Sensors are subject to the following constraints:

- a. Compatible sensors from any manufacturer may only be connected to the I2C, digital I/O, encoder, and analog ports of the REV Expansion Hub or REV Control Hub.
- b. Compatible sensors from any manufacturer may be connected to the Logic Level Converter and/or the 12C Sensor Adapter Cable. Refer to Rule <RE14.j> for details on the use of Logic Level Converter and the I2C Sensor Adapter Cable.
- c. Passive electronics may be used as recommended by sensor manufacturers at the interfaces to the sensors.
- d. Voltage and/or current sensors are allowed, including between the main power switch and the REV Expansion Hub or REV Control Hub, except on an output port of a motor or servo controller. Voltage and/or current sensors must be powered per <RE05>.c.
- e. Simple I2C multiplexers are allowed, and they may only be connected to and powered from the I2C connections available on REV Expansion Hub or REV Control Hub.

f. COTS I2C to SPI protocol converters are allowed as long as they are nonprogrammable. They may only be connected to and powered from the I2C connections available on the REV Expansion Hub or REV Control Hub.

<RE12> Light Sources – Functional and/or decorative light sources (including LEDs) are allowed with the following constraints:

- a. Focused light sources (for example: flashlights, lasers, and lenses) are not allowed unless noted in exceptions listed in <RE12>.c&g.
- b. Light sources may not interfere with or distract other *Robot* operations, *Team* members, volunteers, and spectators.
- c. Lasers are not allowed unless they meet all of the following criteria:
 - Must be part of a legal sensor as defined by <RE11>
 - ii. Class 1 laser
 - iii. Non-visible spectrum
- d. Light sources may be controlled by the following compatible ports on the REV Expansion Hub or REV Control Hub:
 - i. Digital I/O
 - ii. I2C
 - iii. Motor Output
 - iv. Servo Ports
- e. Commercial Off the Shelf (COTS) interface modules designed to solely control light sources are allowed between the light sources and the components listed in <RE12>d.
- The only approved power sources for lights are as follows:
 - Internal (as supplied by the COTS manufacturer) battery pack or battery holder,
 - ii. COTS USB external battery pack
 - iii. Ports on a REV Control Hub or REV Expansion Hub, including:
 - i. Motor-control ports
 - ii. Encoder ports,
 - iii. XT30 ports,
 - iv. Servo ports,
 - v. 5V auxiliary power ports,
 - vi. I2C sensor ports,
 - vii. Digital ports, and
 - viii. Analog ports.
 - iv. Power distributed off the 12V main power per <RE05>



g. Integrated light sources within otherwise legal devices are permitted (for example, status and power LEDs on legal USB cameras).

The common rates to trigger seizures is between 3 and 30 hertz (flashes per second) but varies from person to person. While some people are sensitive to frequencies up to 60 hertz, sensitivity under 3 hertz is not common. Please keep in mind that event attendees could have sensitivities to flashing lights. 1

For example, *Teams* may signal via LED light that they have a scoring element ready. Teams that choose to use flashing lights should install lights that the flash rate is 1 hertz (in other words, cannot change states more frequently than approximately once a second) or less. If *Teams* have LED's that flash more frequently, they may be asked to turn them off.

Teams that choose to install flashing lights should ensure the lights can be turned either completely off or on (not flashing). Head Referees have the discretion of asking *Teams* to turn their lights to either state if an event attendee or participant has a sensitivity to flashing lights.

<RE13> Video Cameras

- a. Self-contained video recording devices (GoPro or similar) are allowed providing they are used only for non-functional post-Match viewing and the wireless capability is turned off. Approved self-contained Video Cameras must be powered by an internal battery (as supplied by the manufacturer).
- b. Vision Sensors and Vision Cameras are allowed for computer vision related tasks.
 - i. Vision Sensors must follow all sensor rules in <RE11>.
 - ii. Vision Cameras must be UVC Compatible and must connect directly to a REV Control Hub via USB or to the Robot Controller through a powered USB hub.
 - iii. Only single image sensor devices are allowed (stereoscopic cameras are not allowed).

<RE14> Robot Wiring - Robot wiring is constrained as follows:

- a. USB surge protectors connected to USB cables are allowed.
- b. Ferrite chokes (beads) on wires and cables are allowed.
- c. A Mini USB to OTG (On-The-Go) Micro Cable or any combination of a Mini USB cable, a USB hub, and an OTG Micro Adapter may be used to connect the smartphone Robot Controller Android Device to the Robot electronics. Note that the OTG Micro Adapter may be integrated into the USB hub. These devices may connect to the Robot electronics in the following ways:
 - i. Built-in USB input port of the REV Expansion Hub or
 - ii. A USB hub that connects to the built-in USB input port of the REV Expansion Hub. If a powered hub is used, it must draw its energy from either:
 - i. A COTS USB battery pack, or
 - ii. A 5V auxiliary power port on a REV Expansion Hub or REV Control Hub.

¹ See https://www.epilepsysociety.org.uk/photosensitive-epilepsy#.XuJbwy2ZPsE accessed on 5/04/2023

- d. Anderson Powerpole, XT30, and similar crimp or quick-connect style connectors are recommended for joining electrical wires throughout the Robot. Power distribution blocks or splitters are recommended where appropriate to reduce wiring congestion. All connectors and distribution blocks or splitters should be appropriately insulated.
- e. Installed connectors (such as battery-pack connectors, battery charger connectors) may be replaced with Anderson Powerpole, XT30, or any compatible connector.
- Team managed power and motor control wires must use consistent color-coding with different colors used for the positive (red, white, brown, or black with a stripe) and negative/common (black or blue) wires.
- g. Wire and cable management products of any type are permitted (for example, cable ties, cord clips, sleeving, etc.).
- h. Wire insulation materials of any type are permitted when used to insulate electrical wires or secure motor control wires to motors (for example, electrical tape, heat shrink, etc.).
- Manufacturer supplied power, motor, servo, encoder, light sources, and sensor lead wires may be extended or modified using custom made or COTS wire extensions subject to the following constraints:
 - Power wires are 18 AWG or larger diameter (for example, 16 AWG wire has a larger diameter than 18 AWG wire).
 - ii. Motor control wires as follows:
 - 22 AWG or larger diameter for TETRIX Max 12V DC motors and REV Robotics Core Hex (REV-41-1300) 12V DC motors
 - ii. 18 AWG or larger diameter for all other 12V DC motors
 - iii. PWM (servo) wires should be the same size or larger diameter than the original wiring or as specified by the manufacturer. If the original servo wire size is unknown, 22 AWG or larger diameter wire extensions are recommended.
 - iv. Sensor wires should be the same size or larger diameter than the original wiring or as specified by the manufacturer.

Teams should be prepared during Robot inspection to show documentation confirming the wire gauges used, particularly for multi-conductor cables.

- v. LED light source wires should be the same size recommended by the manufacturer or larger diameter. If the manufacturer does not specify a recommended size and the LED or strip has wires attached, use the same size or larger as provided by the manufacturer. If there are no attached wires and no recommended size is provided, use the following guidance:
 - 5V LEDs 22AWG or larger
 - ii. 12V LEDs - 18AWG or larger
- Logic Level Converters Logic Level Converters that are used to connect a REV Expansion Hub or REV Control Hub to a 5V-compatible I2C sensor or a 5V-compatible digital sensor are allowed. Exactly one Logic Level Converter per I2C device and one Logic Level Converter per digital sensor are allowed. A Logic Level Converter should only draw power from the REV Expansion Hub or REV Control Hub.

FIRST. FOR INSPIRATION & RECOGNITION OF SCIENCE & TECHNOLOGY

k. Electrically grounding the control system electronics to the frame of the Robot is recommended and only permitted using a FIRST-approved, commercially manufactured resistive grounding strap. The only resistive grounding strap approved for use is the REV Robotics resistive grounding strap (REV-31-1269). Teams that have electronics with Powerpole-style connectors must use the REV Robotics Anderson Powerpole to XT30 adapter (REV-31-1385) in conjunction with the REV Robotics resistive grounding strap. No other grounding straps or adapters are permitted. For additional details on installation of the grounding strap or adapter, please see the Robot Wiring Guide.

<RE15> Modifying Electronics - Approved electrical and electronic devices may be modified to make them more usable; they may not be modified internally or in any way that affects their safety.

Examples of modifications that are allowed:

- Shortening or extending wires
- · Replacing or adding connectors on wires
- Shortening motor shafts
- Replacing gearboxes and/or changing gears

Examples of modifications that are **not** allowed:

- Replacing an H-Bridge in a motor controller
- Rewinding a motor
- Replacing a fuse with a higher value than specified by the manufacturer
- Shorting out a fuse

<RE16> Additional Electronics – Electronic devices that are not specifically addressed in the preceding rules are not allowed. A partial list of electronics that are not allowed includes: Arduino boards, Raspberry Pi, relays, electromagnets, and custom circuits.

7.3.4 Driver Station Rules

Teams provide their own *Driver Station*, and it must comply with the following constraints:

<DS01> Driver Station Controller – The Driver Station must consist of no more than one (1) of the following options:

- a. One (1) smartphone Android Device listed in rule <RE07>, or
- b. One (1) REV Driver Hub.

<DS02> Driver Station Controller Touch Screen - The touch display screen of the Driver Station Controller must be accessible and visible by field personnel.

<DS03> Gamepad – The Driver Station must contain no more than two (2) of the following gamepads in any combination:

- a. Logitech F310 gamepad (Part# 940-00010)
- b. Xbox 360 Controller for Windows (Part# 52A-00004)
- c. Sony DualShock 4 Wireless Controller for PS4 (ASIN # B01LWVX2RG) operating in wired mode only (i.e., connected through USB 2.0 Type A to Type B Micro cable without being Bluetooth paired to any device)
- d. Sony DualSense Wireless Controller for PS5 (ASIN # B08FC6C75Y) operating in wired mode only (i.e.,

connected through USB 2.0 Type A to Type C cable without being Bluetooth paired to any device). This DOES NOT include the Sony DualSense Edge Wireless Controller in any configuration.

- e. Etpark Wired Controller for PS4
- Quadstick game controller in Xbox 360 Emulation Mode (any model).

No electrical modifications of any gamepads are allowed. Mechanical enhancements to the gamepad that do not involve opening the gamepad or modifying the electronics are legal.

Different color gamepads are allowed provided they are the same model as the allowed gamepad.

<DS04> USB Hub – No more than one (1) external battery powered or unpowered USB hub is allowed.

<DS05> Charging the Driver Station Controller at the Playing Field – One (1) optional COTS USB external battery is allowed to charge the Driver Station Controller. The USB battery connects to the Driver Station Controller only by these methods:

- a. Through the built-in USB-C port on the REV Driver Hub.
- b. Through a USB Hub connected to the smartphone *Android Device*.

<DS06> Smartphone Android Device (if used) Additional Constraints –

- a. One (1) OTG Cable is required
- b. The *Driver Station* smartphone *Android Device* USB interface may only connect to either:
 - A Mini USB to OTG (On-The-Go) cable or combination of cables connected to a USB Hub, or
 - One (1) gamepad, USB cable, and an OTG Micro Adapter. ii.

<DS07> Driver Station Carrier – A Team is allowed to bring one (1) Driver Station carrier to the Playing Field. The *Driver Station* carrier's intended use is for organizing and transporting *Driver Station* components. *Driver* Station carrier constraints are as follows:

- a. Driver Station carrier may not damage Competition provided equipment, the Playing Field, or the venue floor.
- b. Decorative electronics (including LEDs) are allowed, and they must be powered by a 12V or lower COTS DC battery. The smartphone Android Device and REV Driver Hub may not power or control decorative electronics.
- Non-decorative electronics are not allowed.
- d. The *Driver Station* carrier must not be a distraction to gameplay, field personnel, *Teams*, or spectators.

The intent of this rule is to allow *Teams* to use a container to store, organize, and transport the *Driver Station* components. The Driver Station carrier rule is not intended to allow carriers that function as a Robot cart or replace a Competition provided Driver Station stand, table, etc.

Important Note: The *Driver Station* is a wireless device with a built-in wireless radio. During a *Match*, the Driver Station should not be obscured by metal or other material that could block or absorb the radio signals from the Driver Station.



<DS08> Driver Station Sounds – Team initiated sounds via Team code and sounds not generated by the official Driver Station app are not allowed to be played through the Driver Station Android Device at any official Competition.

> The intent of this rule is to prevent sounds that may distract gameplay. Android operating system power up sounds are not subject to this rule.

7.3.5 Robot Software Rules

For software resources and troubleshooting guides, please visit our website: https://www.firstinspires.org/resource-library/ftc/technology-information-and-resources.

<RS01> Android Device Names - Each Team MUST "name" their Robot Controller Android Device Wi-Fi name with their official FIRST Tech Challenge Team number and -RC (for example, "12345-RC"). Each Team MUST "name" their *Driver Station Android Device* with their official *Team* number and –DS (for example, 12345-DS). Teams with more than one Driver Station or Robot Controller Android Device must name these devices with the *Team* number followed by a hyphen then a letter designation beginning with "A" (for example, "12345-A-RC", "12345-B-RC").

<RS02> Recommended Programming Tools – Java is the recommended programming language for the Robot Controller. The following tools are recommended for use in the FIRST Tech Challenge:

- a. FTC Blocks Development tool a visual, blocks-based programming tool hosted by the Robot Controller.
- b. FTC OnBot Java Programming tool a text-based integrated development environment hosted by the Robot Controller.
- c. Android Studio a text-based integrated development environment.
- d. Java Native Interface (JNI) & Android Native Development Kit (NDK) Teams can incorporate native code libraries into their apps using the JNI framework and the Android NDK.

<RS03> Allowed Software System Versions - The following table lists the Android Devices, minimum Android versions, minimum operating system and firmware versions, and minimum FTC software versions allowed per device.

Android Smartphones				
Device	Minimum Android Version	Minimum FTC Software Version		
Motorola Moto G4 Play (4th Generation) / Motorola Moto	7.0 (Nougat)			
G4 Play (See <re07> for details)</re07>				
Motorola Moto G5	7.0 (Nougat)			
Motorola Moto G5 Plus	7.0 (Nougat)	9.0		
Motorola Moto E4 (USA versions only, includes SKUs	7.0 (Nougat)	9.0		
XT1765, XT1765PP, XT1766, and XT1767)				
Motorola Moto E5 (XT1920)	7.0 (Nougat)			
Motorola Moto E5 Play (XT1921)	7.0 (Nougat)			

REV Hubs				
Device	Minimum Software	Minimum Firmware Version	Minimum FTC Software Version	
REV Control Hub	Control Hub OS 1.1.2	Firmware 1.8.2	Robot Controller 9.0	
REV Expansion Hub		Firmware 1.8.2		
REV Driver Hub	Driver Hub OS 1.2.0		Driver Station 9.0	
Note: The REV Hardware Client software can be used to install software onto the REV Hubs.				

IMPORTANT: Rules <RS02> or <RS03> do not require that *Teams* upgrade to the latest version of the software. A mandatory upgrade (announced by FIRST) would only be required if FIRST determined there was a critical software fix that must be adopted by Teams. Teams must install the upgrade before the time of *Competition*. Additionally, beta versions of the software are allowed at official Tournaments. Mandatory upgrades will be communicated in the following ways:

- Via Team Blast The mandatory upgrade and version number will be communicated to Teams on the Team Blast, which will also show the date the required upgrade must be made.
- Online the minimally required software will be listed on our <u>Technology Resources</u> page, with the date *Teams* are required to make the mandatory software upgrade.
- Forum The minimally required software will be listed in the Technology Forum page, with the date *Teams* are required to make the mandatory software upgrade.

Templates for all programming choices are available through the links located at http://www.firstinspires.org/node/5181.

<RS04> Autonomous to Driver-Controlled Transition - Teams that expect to operate their Robot during the Autonomous period must demonstrate during Field Inspection that the Drive Team can use the Driver Station to switch the Robot Controller between Autonomous mode and Driver-Controlled mode.

<RS05> Robot Controller App - The Robot Controller smartphone Android Device (if used) must have a designated "FTC Robot Controller" app that is the default application for the REV Expansion Hub. The Robot Controller app must not be installed on the Driver Station Android Device.



<RS06> Driver Station App - Teams must install the official "FTC Driver Station" app onto their Driver Station Smartphone Android Device or REV Driver Hub and use this app to control their Robot during a Match. The Driver Station FTC software version number must match the version number of the Robot Controller app. The Driver Station App must not be installed on the Robot Controller Android Device.

IMPORTANT: Rules <RS05> or <RS06> may require initial installation of the software, or updates throughout the season. Teams receiving the REV Driver Hub or REV Control Hub for the first time should install the most recent version of the software.

For initial installation or to install the most current version the software, please visit the following link: https://docs.revrobotics.com/control-hub/managing-the-control-system/rev-hardware-client

If updates to the SDK software are required, *Teams* will be notified in the following ways:

- Via Team Blast The mandatory upgrade and version number will be communicated to Teams on the Team Blast, which will also show the date the required upgrade must be made.
- Online the minimally required software will be listed on our <u>Technology Resources</u> page, with the date *Teams* are required to make the mandatory software upgrade.
- Forum The minimally required software will be listed in the Technology Forum page, with the date *Teams* are required to make the mandatory software upgrade.

<RS07> Smartphone Android Device, REV Driver Hub, and REV Control Hub Operating System **Settings** - The *Robot Controller* and *Driver Station* must be set to:

- a. Airplane mode must be turned on (does not apply to the REV Control Hub and REV Driver Hub).
- b. Bluetooth must be turned off.
- c. Wi-Fi must be turned on.
- d. REV Control Hub password must be different than the factory default value of "password".

<RS08> Software Modification –

- a. Teams are not allowed to modify the FIRST Tech Challenge Driver Station app in any fashion.
- b. Teams are required to use the FIRST Robot Controller SDK, and are not allowed to remove, replace, or modify the portions of the SDK which are distributed as binary .AAR files.

The intent of this rule is for Teams to download the official version of the SDK from FIRST and make modifications to add Team created code.

Reengineered, reverse engineered, or modified versions of the official FIRST SDK are not allowed.

<RS09> Driver Station Communication - Communication between the Robot and Driver Station is only allowed via the Robot Controller and Driver Station applications.

Communication between the Robot Controller and the Driver Station is limited to the unmodified mechanisms provided by the official FIRST Tech Challenge (FTC) software, which consists of the official FTC Software Development Kit (SDK), the FTC Robot Controller app, and the FTC Driver Station app. Teams are not permitted to stream audio, video or other data using third-party software or modified versions of the FTC software. Teams may only use the unmodified telemetry feature included with the FTC software to transfer

additional data between the Robot Controller and the Driver Station. Software that is preinstalled by an approved smartphone's manufacturer and cannot be disabled is exempt from this constraint.

During a Match, a Team's Robot Controller and a Team's Driver Station are not allowed to be connected wirelessly to any other device besides each other.

<RS10> Robot Controller Sounds - Team initiated sounds via Team code and sounds not generated by the official Robot Controller app are not allowed to be played through the Robot Controller Android Device at any official Competition.

> The intent of this rule is to prevent sounds that may distract gameplay. Android operating system power up sounds are not subject to this rule.

7.4 Team Game Element

The Team game element is an optional Team designed and manufactured game element that will be used in the CENTERSTAGESM game. The *Team* game element must pass inspection before it is allowed to be used in a Match.

The *Team Game Element* for the CENTERSTAGESM game is called the *Team* Prop.

<TE01> Inspection – Each Team Game Element must pass inspection in its gameplay configuration before it is allowed to be used in a Match.

<TE02> Color Constraint - Teams will need two Team Game Elements (one red and one blue) to play the game.

- a) The Team Game Element in its entirety must be red or blue (depending on the Team's assigned Alliance color for the Match). The Team Game Element may include multiple shades of the assigned color.
- b) No other coloration of the *Team Game Element* is allowed except for the *Team* number. Please see rule <TE05> for team number constraints.

<TE03> Material Constraints -

- a) The Team Game Element is subject to the Robot Mechanical Parts and Materials Rules in section
- b) Fiducial markers (for example, AprilTag, QR code, Barcode, etc.) are not allowed.
- c) Materials with retroreflective properties (for example, retroreflective tape) are not allowed.

<TE04> Size Constraints -

- a) The maximum size of the Team Game Element is 4 inches (10.16 cm) by 4 inches (10.16 cm) by 4 inches (10.16 cm).
- b) The minimum size of the *Team Game Element* is 3 inches (7.62 cm) by 3 inches (7.62 cm) by 3 inches (7.62 cm).
- c) When measured, the *Team Game Element* should be placed in a self-supporting position inside a measuring tool, in the same manner that it will rest on the Playing Field Floor. This means it is not held at an odd angle by another object, such as the measuring tool.

<TE05> Team Number - Team Game Elements must be labeled with their Team number (numerals only, for example "12345").

FIRST FOR INSPIRATION & RECOGNITION OF SCIENCE & TECHNOLOGY

- a) The numbers must be legible when viewed from a distance of 12 inches (30.48 cm) away.
- b) The *Team* number may be no more than 0.5 inches (1.27 cm) in height.
- c) The *Team* number can only appear once on the *Team Game Element*.

The intent of this rule is to facilitate *Team Game Element* ownership identification for non-gameplay reasons.

- <TE06> Illegal Parts The following types of mechanisms and parts are not allowed:
 - a) Electronics.
 - b) Any other part or material that violates *Robot* construction rules outlined in section 7.3.
 - c) COTS game elements used in the current season's game.

<TE07> COTS Scoring Elements – The Team Game Element may not resemble any current season's COTS game elements.

7.5 Team Scoring Element Construction Rules

The Team Scoring Element is an optional Team designed and manufactured scoring element that will be used in the CENTERSTAGESM game. The *Team* scoring element must pass inspection before it is allowed to be used in a Match.

The *Team Scoring Element* for the CENTERSTAGESM game is called the *Drone*.

Teams must follow the rules outlined below when constructing their Drone. Teams may reference the document titled "Is Your Drone Legal" on the FIRST website for visual aids to assist Teams in building a legal Drone for Competition.

- <DR01> Inspection Each Drone design must pass inspection in its gameplay configuration before it is allowed to be used in a *Match*. Teams may have multiple designs and multiple *Drones* of a particular design. Only one *Drone* of each design needs to be inspected.
- <DR02> Drone Configuration Drones must have the general configuration of an airplane with defined fuselage and wings as determined by the inspector. The intention is that the aerodynamic surfaces cause the Drones to follow a non-ballistic trajectory while flying.
- <DR03> Color Constraint The predominant color of a Drone must match the Team's assigned Alliance color for the Match (red or blue). The purpose of this rule is to ensure that field personnel, Teams, and the audience can easily associate Drones with their corresponding Alliance. Teams will need at least two Drones (one red and one blue) to play the game. Shades of red and blue are acceptable (e.g., pink or orange for red; agua or light blue for blue).
- <DR04> Team Number The Drone must be labeled with their Team number (numerals only, for example "12345"). The numbers must be legible when viewed from a distance of 12 inches (30.48 cm) away. The intent of this rule is to facilitate *Drone* ownership identification for non-gameplay reasons.

<DR05> Construction Material Constraints:

- a) The Drone must be made of a single, continuous sheet of paper no larger than a single sheet of 8 ½ x 11 or A4 size uncoated printer paper. The paper weight can be no more than 20lb (75 g/m2). Card stock, construction paper, cardboard, photo paper, etc. are not allowed.
- b) Graphite pencils, ink pen, and/or felt-tip markers may be used to color or apply the *Team* Number. Crayons, colored pencils, paint, chalk, and similar items are not allowed.
- c) Laser or ink jet printers, or similar technology, may be used to apply the required red or blue color, printed decorations, images, *Team* number, etc. on the paper.

d) No other materials are allowed.

8.0 Inspection

8.1 Description

Teams are highly recommended to conduct a Robot and field self-inspection prior to competing. These inspections will ensure that all Robot rules and regulations are met. The official "Robot and Field Inspection" checklists are located in Appendices B and C.

9.0 Judging and Award Criteria

9.1 Overview

This section provides descriptions of:

- Engineering Portfolio requirements and recommendations
- How judging works
- FIRST Tech Challenge award criteria

Teams have spent a significant number of hours designing, building, programming their Robot, and learning what it takes to be part of a *Team*. For many *Teams*, the event is the reward for all their hard work throughout the season. While there are several types of events, they all offer a fun and exciting way for *Teams* to show the results of their efforts.

The judged awards give us the opportunity to recognize *Teams* who embody important values like *Gracious* Professionalism®, teamwork, creativity, innovation, and the value of the engineering design process. These judging guidelines are a part of the road map to success.

FIRST Tech Challenge provides judging feedback for Teams who submit a completed judging feedback request form. When receiving feedback, *Teams* should note the judging is a subjective process; and *Students* are encouraged to learn the important life skill of self-evaluation to help them prepare for their judged interview. This helps *Students* prepare for professional interviews while developing other real-world life skills. For a copy of the FIRST Tech Challenge Team Judging Session Self-Reflection Sheet please visit the website: https://www.firstinspires.org/node/5226

9.1.1 Key Terms and Definitions

Engineering Notebook - Not required for award consideration, the Engineering Notebook is a thorough description of the *Team's* experiences throughout the season. At events, a judge may ask to review this optional resource, but a *Team* will not be penalized if there is no *Engineering Notebook*.

Engineering Portfolio - Required for award consideration, the Engineering Portfolio is a document that does not exceed 15 pages that summarizes the most important accomplishments of the *Team*, in the *Team*'s opinion. Guidelines for what must, should, and could be included for award consideration is listed in section 9.2.6.

Home Region – The default or manually assigned region that a *Team* is a part of. These are generally geographic in nature. Special considerations can be made, at the discretion of the program delivery partner and FIRST to move a Team to another region, or to add a Team with no program delivery partner to another Home Region. A Team can only be a part of one Home Region.



Team Information – The *Team* name, *Team* number, a photograph of the *Robot*, a photograph of the *Team* school or club information, the *Team* City and State, *Team* motto. Please do not include the full name of any student, coach, or mentor in the Engineering Portfolio.

CAD drawings, business plan information, award Information, accolades, *Team* size, *Team* goals, and other 'content' will be viewed as Engineering Portfolio content and is counted as a page in the portfolio.

Team Plan – Any descriptor of *Team* goals. This could include a strategic plan that references *Student* recruitment, sponsorship, mentor recruitment, outreach efforts, fundraising goals, or *Team* learning goals.

9.2 Engineering Portfolio

9.2.1 Overview

This section describes the requirements for creating the *Engineering Portfolio*, including formatting guidelines.

9.2.2 What is an Engineering Portfolio?

An Engineering Portfolio is a short and concise summary of the Team's engineering journey throughout their season. The Engineering Portfolio should include sketches, discussions and Team meetings, design evolution, processes, obstacles, goals and plans to learn new skills, and each Team member's concise thoughts throughout the journey for the season, the *Engineering Portfolio* is like the *Team's* CV or resume.

One of the goals of FIRST and FIRST Tech Challenge is to recognize the engineering design process and the journey that a Team makes. This journey encompasses the phases of the problem definition, concept design, system-level design, detailed design, test and verification, and production of the Robot.

9.2.3 Engineering Portfolio Formats

Teams may choose to document their summary portfolio with either handwritten or electronic documents. There is no distinction made between handwritten and electronic Engineering Portfolios during judging; each format is equally acceptable.

- a) <u>Electronic:</u> Teams may choose to use any electronic programs to create their *Engineering Portfolio*.
 - o For remote event judging, *Teams* must create a single PDF file of their *Engineering Portfolio*.
 - o For traditional events, Teams must print their Engineering Portfolio.
- b) Handwritten: *Teams* can choose to create a handwritten version.
 - o For remote event judging, this is discouraged due to difficulties in scanning into a readable, sharable, online version.

9.2.4 Engineering Portfolio Requirements

- 1. To be considered for judged awards, a Team must submit an Engineering Portfolio.
 - a) Teams who do not submit an Engineering Portfolio will **not** be considered for judged awards.
- 2. The total number of pages for an Engineering Portfolio must not exceed 15 pages, plus a cover sheet for a total of 16 pages.
 - a) Cover sheet may include the Team Information and a table of contents.
 - Allowed *Team Information* is limited to *Team* number, Team name, Team location, Team school or organization, Team motto and an image of the Robot and/or the Team.
 - b) Cover sheet may not include other Engineering Portfolio content.

A *Team* number on the top of every page makes it easy for judges to know who created the Engineering Portfolio they are reviewing. The Team number on the front page is a required component of the Engineering Portfolio.

- Additional content on the cover sheet adds to the page count of the portfolio, meaning content on the last page of the portfolio will not be reviewed or considered.
- c) Pages must be the equivalent of standard A sized paper (US 8.5 x 11) or Standard A4 sized paper (EU 210 x 297 mm).
- d) Fonts used must be a minimum of 10 points. Please avoid the use of narrow fonts, as they can be difficult for judges to read.
- e) Judges are instructed to only review the cover sheet and the first 15 pages of content that follow the cover sheet. Information included beyond 15 pages and the cover sheet will **not** be reviewed or considered.
- 3. The Engineering Portfolio must not include links to other documents, videos, or any other additional content.
 - a) Please note that judges will **not** review linked content in the *Engineering Portfolio*, including web sites, or videos.
- 4. The Control Award Submission Form is not a part of the Engineering Portfolio and is not included in the total Engineering Portfolio page count.

9.2.5 Engineering Portfolio Recommendations

- 1. We strongly recommend the *Team* number is at the top of each page.
- 2. The body of the *Engineering Portfolio* **could** include:
 - a) Summary of the engineering content that includes the Robot design processes.
 - b) Summary of the *Team Information* that includes information about the Team and outreach activities.
 - c) Summary of the *Team Plan* and information about the *Team* overall. The Team Plan could be a business plan, a fundraising plan, a strategic plan, a sustainability plan, or a plan for the development of new skills.

It is a good idea to connect the award criteria to specific content in your Engineering Portfolio!

9.2.5.1 Artificial Intelligence in the Engineering Portfolio

Teams are permitted to use Artificial Intelligence (AI) to assist in the creation of their Engineering Portfolio and in their Robot Code. FIRST views AI resources as tools available to students in the same way that CAD programs, Programming Languages, and 3D printers are tools available for their use. Teams using AI to assist with code or content generation must provide proper credit and attribution, and respect intellectual property rights and licenses.

Proper Credit can look like this: Portfolio Content created by Team 1000 and ChatGPT

9.2.6 Engineering Portfolio Requirements by Award

The chart below provides a quick outline of the *Engineering Portfolio* requirements by award:

Engineering Portfolio Requirements by Award		
Requirements are indicated using the word "must," recommendations are indicated using words like "could" or "should."		
Inspire Award	 Team must submit an Engineering Portfolio. The Engineering Portfolio must include summary information about the Robot design, information about the Team, and a Team Plan. The entire Engineering Portfolio must be high quality, thoughtful, thorough, 	



	concise, and well-organized. The Engineering Portfolio could inspire
	the judges to ask about specific information.
	 Team must submit an Engineering Portfolio. The Engineering Portfolio must have engineering content. The
	engineering content could include entries describing examples of
	the underlying science, mathematics, and game strategies in a
	summary fashion.
	The Engineering Portfolio must provide examples that show the
	Team has a clear understanding of the engineering design process including an example of lessons learned.
	 The portfolio could inspire the judges to ask about specific, detailed engineering information.
	Portfolio format is less important but enables the judges to
Think Award	understand the <i>Team's</i> design maturity, organizational capabilities, and overall <i>Team</i> structure.
	Portfolio could reference specific experiences and lessons learned
	but should capture the summary of the status of the <i>Team</i> and their <i>Robot</i> design.
	 Portfolio could summarize experiences and lessons learned from outreach with concise tables of outcomes.
	Portfolio could summarize how they acquired new mentors and/or
	acquired new knowledge and expertise from their mentors.
	 Portfolio could contain a summary of overall Team Plan.
	Portfolio could contain information about the plans to develop skills
	for <i>Team</i> members.
	Portfolio could be organized in a logical manner.
	Team must submit an Engineering Portfolio.
	Portfolio must include a <i>Team Plan</i> . The <i>Team Plan</i> could the
	Team's goals for the development of Team member skills, and the steps the Team has or will take to reach those goals. Other
Connect Award	examples of what the plan could include are timelines, outreach to
	science, engineering, and math communities, and training courses.
	Portfolio must include a summary of how they acquired new
	mentors or acquired new knowledge and expertise from their
	mentors.
	 Team must submit an Engineering Portfolio.
Innovate Award	The Engineering Portfolio must include examples of the Team's
sponsored by RTX	engineering content that illustrate how the <i>Team</i> arrived at their
	design solution.
	 The portfolio could inspire the judges to ask about specific, detailed engineering information.
	The Team must submit an Engineering Portfolio. The Engineering
	Portfolio must include engineering content that documents the
	control components.
Control Award	The <i>Team</i> must submit a control award submission form as a
	separate document. Teams should identify the control aspects of
	their <i>Robot</i> that they are most proud of.
	 The Control Award submission form must not exceed 2 pages.
Motivate Award	Team must submit an Engineering Portfolio.
	 The Engineering Portfolio must include a Team organization plan,

	which could describe their future goals and the steps they will take to reach those goals. Other examples of what the plan could include are <i>Team</i> identity, fund-raising goals, sustainability goals, timelines, outreach to non-technical groups, finances, and community service
	goals.
	 The Team is an ambassador for FIRST programs.
	 Team can explain the individual contributions of each Team
	member, and how these apply to the overall success of the <i>Team</i> .
	Team must submit an Engineering Portfolio that includes examples
Design Award	of Robot CAD images or detailed Robot design drawings.
	 The portfolio could inspire the judges to ask about specific, detailed
	design engineering content.

9.3 Engineering Notebook

The Engineering Notebook is an optional item and could be used as a fundamental source of information for the Team to use to be able to create the Engineering Portfolio. The Engineering Notebook is one method of creating a documentation repository of the Team, outreach and fund-raising efforts, Team Plans, and the Robot design. This documentation can include sketches, discussions and Team meetings, design evolution, processes, and obstacles.

The *Engineering Notebook* is not used when considering a *Team* for judged awards.

9.4 Judging Process, Schedule, and Team Preparation

The schedules at the FIRST Tech Challenge Competitions may vary from event to event. At traditional events, judging interviews are scheduled for before the start of *Match* play. For remote events, judging will take place during a pre-determined window of time. Exact times for both the Matches and meeting with judges cannot be given within this manual. All Teams receive the schedule before or during check-in at the Competition, or in advance of their scheduled remote interview.

9.4.1 How Judging Works

At FIRST Tech Challenge Competitions, there will be four parts to the judging process:

- 1. Interview with the judges.
 - a. *Teams* take part in scheduled, private interviews with a panel of two or more judges.
 - b. *Teams* are asked to bring their *Robot* to the judge interview. This is the best chance for *Teams* to explain and show their Robot design to the judges in a quiet and relaxed environment. For remote events, Teams may show photos of their *Robot* to the judges as a part of their remote interview.

All *Teams* are eligible to participate in the judging process. A Robot, a working Robot, or a Robot that has passed inspection is not a requirement to participate in judging.

- Teams who have not built a Robot or have a Robot that has not passed Robot inspection are permitted to participate in judging and are eligible for consideration for all awards.
- c. The interview will last at least 10 minutes.
- d. During the first 5 minutes of the interview, *Teams* can present to the judges, without interruption.
 - Teams are not required to prepare a presentation and will not be penalized if they do

not have a prepared presentation.

- ii. Teams will not receive more than 5 minutes for their uninterrupted presentation.
- iii. Teams may not pre-record their presentation.
- e. At the five-minute mark, the judges will begin to ask questions of the *Team*.
- 2. *Match* observations by judges (traditional events only).
 - a. Judges observe the Robot, Student interactions, and the Gracious Professionalism® of the entire Team.
- 3. Judges follow up with additional interviews in the pits during Competition. For remote events, this second interview will be pre-scheduled.
- 4. Evaluation of the Engineering Portfolio

No awards will be decided based on the judges' interview or Engineering Portfolio alone. Judges use the guidelines provided in this section to assess each *Team*.

Teams should present their Engineering Portfolio, their control award submission form, and their judging feedback request form to the judges at the start of their interview unless otherwise directed by the Competition officials. In remote events, the *Team* coach, as the *Team* admin, is designated to upload these materials to the FTC Scoring System.

After the judges review the submitted Engineering Portfolio, complete the scheduled Team interviews, and evaluate the *Team* and *Robot* performance on the field, they meet to review their assessments and create a list of top candidates for the various judged awards. Judges may require more discussion with *Teams*.

9.4.1.1 Feedback to Teams

Judges will conduct the *Team* interview and review the documentation submitted by the Team. After the event, the lead coach/mentor 1 for the Team will receive access to the judging feedback form which has been completed by the event judges.

The feedback form is completed by the judges immediately following the formal interview and is based on the judges' first impression of the team.

The feedback form is not used by the judges during their deliberation process.

Teams do not need to request feedback from the judges. Feedback will automatically be given to every Team. Feedback is based on the judges' first impression of the *Team* and should be used as a tool to help the *Team* improve their judging presentations and Engineering Portfolio content.

9.4.1.2 Teams Without a Robot

Teams who have not built a Robot or have a Robot that has not passed Robot inspection are permitted to participate in judging and are eligible for award consideration.

9.4.2 Judging Schedule

The formal judging interviews take place in a separate area or room away from other *Teams* as well as the noise of the Competition and pit. Teams follow the schedule that outlines Team interview times and locations. Sometimes, Teams may receive this information in advance, but more often, Teams will receive this information when they check-in on the morning of the event. For remote events, Team coaches will receive the Team's judging schedule in advance of the event.

As much as possible, *Teams* should familiarize themselves with where and how judging will occur and allow enough time to get there. We expect that all *Teams* arrive at the judge queuing area five minutes before their scheduled judging interview. This helps us keep the event running on time.

9.4.3 Team Preparation

Teams are encouraged to read and understand the award requirements for each award to assess where they are within an award category and help them establish higher goals. These guidelines are the same ones used by the judges during each Competition, and at the FIRST championship. Please see the Award Categories section of this manual for award requirements and look over the Engineering Portfolio Requirements by Award to ensure the Team's Engineering Portfolio meets the criteria by award. Teams should attend judging workshops and judging practice days if they are available in their region. Practice makes for a better presentation, and practice in front of others could help a *Team* identify gaps in their presentation. Judging selfreflection sheets are another tool that *Teams* can use to prepare for their judging interview.

Teams may also read the Judge and Judge Advisor Manuals to gain more insight into the entire judging process.

During the Team's interview, the judges want to know highlights about the Team; what the Team learned during the Competition season; and the experiences that were gained. Team representatives' abilities to answer the questions or elaborate on *Robot* design functions or qualities are evaluated during the *Team* interview.

9.4.4 Coaches Involvement in Interviews

Check with the tournament director to see if mentors and coaches can watch the *Team* interview. Mentors and coaches may not contribute to the judging interviews. Mentors and coaches should always keep in mind that FIRST Tech Challenge is a Student-centered activity. It is about giving the Students a unique and stimulating experience in all aspects of the program.

9.4.4.1 Coaches Involvement in Interviews Exceptions

FIRST Tech Challenge will make exceptions for coaches who are needed to translate for Students, for coaches of Students with different abilities, and other exceptional circumstances. Please let the tournament director know in advance if your *Team* would like to be considered for an exception.

9.4.5 Video Award Submission Guidelines for Compass and Promote Awards

The submission process for this award may vary by Competition. The compass and promote awards are not offered at all events. Please check with the tournament director for details. Winning videos will be submitted to FIRST and used to promote the higher values of FIRST Tech Challenge. Teams can also send their promote videos directly to FIRST; however, these submissions will not be formally judged. If you would like to send your promote video to FIRST, please email firsttechchallenge@firstinspires.org with the subject line "Promote Award Video".

- The video must be submitted at least one week before *Competition* day. Instructions for submitting videos may vary from Competition to Competition. Please check with the tournament director for details.
- Videos must be submitted in AVI, WMV, MOV or better format. Submission through use of a streaming service such as YouTube is not acceptable. Remember the winning video may be shown on a large screen during the awards ceremony. Teams should use the best resolution available for the final
- Only one video submission per *Team* will be considered. *Teams* may submit new or updated videos at each Competition.
- Teams must have permission from the copyright owners for music used in the video and indicate this in their video.

FIRST. FOR INSPIRATION & RECOGNITION OF SCIENCE & TECHNOLOGY

9.5 Award Categories

9.5.1 Inspire Award

This judged award is given to the *Team* that best embodies the 'challenge' of the *FIRST* Tech Challenge program. The Team that receives this award is a strong ambassador for FIRST programs and a role model FIRST Team. This Team is a top contender for many other judged awards and is a gracious competitor. The Inspire Award winner is an inspiration to other Teams, acting with Gracious Professionalism® both on and off the *Playing Field*. This *Team* shares their experiences, enthusiasm and knowledge with other *Teams*. sponsors, their community, and the judges. Working as a unit, this *Team* will have shown success in performing the taskof designing and building a Robot.

Required Criteria for the Inspire Award:

- Team must show respect and Gracious Professionalism® to everyone they meet at a FIRST Tech Challenge event.
- Team must be a strong contender for several other judged awards. The Inspire Award celebrates the strongest qualities of all the judged awards.
- The Team must be an ambassador for FIRST programs. They demonstrate and document their work in their community.
- Team must be positive and inclusive, and each Team member contributes to the success of the Team.
- Team must submit an Engineering Portfolio. The Engineering Portfolio must include engineering content, Team Information and a Team Plan. The entire Engineering Portfolio must be high quality, thoughtful, thorough, concise, and well-organized.
- Robot design must be creative and innovative, and the Robot performs reliably on the Field. The Team communicates clearly about their Robot design and strategy to the judges.
- *Team* interview session must be professional and engaging.

Strongly Suggested Criteria for the Inspire Award:

- The Team should be able to share or provide more detailed information to support the information in the portfolio.
- The *Team* should refer to the Award Definitions for judging outlined in Appendix F for outreach and be able to provide supporting documentation to the judges, where applicable.

9.5.2 Think Award

Removing engineering obstacles through creative thinking.

This judged award is given to the *Team* that best reflects the journey the *Team* took as they experienced the engineering design process during the build season. The engineering content within the portfolio is the key reference for judges to help identify the most deserving *Team*. The *Teams* engineering content must focus onthe design and build stage of the Team's Robot.

The *Team* must be able to share or provide additional detailed information that is helpful for the judges. This could include descriptions of the underlying science and mathematics of the Robot design and game strategies, the designs, redesigns, successes, and opportunities for improvement. A Team is not a candidate for this award if their portfolio does not include engineering content.

Required Criteria for the Think Award:

- Team must show respect and Gracious Professionalism® to everyone they meet at a FIRST Tech Challenge event.
- Team must submit an Engineering Portfolio.
- Engineering Portfolio must have engineering content. The engineering content could include entries describing examples of the underlying science, mathematics, and game strategies in a summary fashion.

• The Engineering Portfolio must provide examples that show the Team has a clear understanding of the engineering design process including examples of lessons learned.

Strongly Suggested Criteria for the Think Award:

- Team must be able to describe or provide additional information to the judges about their portfoliocontent.
- Engineering Portfolio could summarize how the Team acquired new mentors or acquired new knowledge and expertise from their mentors.
- Engineering Portfolio could contain summary of overall Team Plan.
- Engineering Portfolio could contain information about the plans to develop skills for Team members.
- Portfolio format is less important but enables the judges to understand the *Team's* design maturity, organizational capabilities, and overall *Team* structure.
- Portfolio could reference specific experiences and lessons learned but should capture the summary of the status of the Team and their Robot design.
- Portfolio could also summarize experiences and lessons learned from outreach with concise tables of outcomes.
- The *Team* should refer to the Award Definitions for judging outlined in Appendix F for outreach and be able to provide supporting documentation to the judges, where applicable.

9.5.3 Connect Award

Connecting the dots between community, FIRST, and the diversity of the engineering world.

This judged award is given to the *Team* that most connects with their local science, technology, engineering, and math (STEM) community. A true FIRST Team is more than a sum of its parts and recognizes that engaging their local STEM community plays an essential part in their success. The recipient of this award is recognized for helping the community understand FIRST, the FIRST Tech Challenge, and the Team itself. The *Team* that wins the Connect Award actively seeks and recruits engineers and explores the opportunities available in the world of engineering, science, and technology. This Team has a clear Team Plan and has identified steps to achieve their goals.

Required Criteria for the Connect Award:

- Team must show respect and Gracious Professionalism® to everyone they meet at a FIRST Tech Challenge event.
- Team must submit an Engineering Portfolio.
- Portfolio must include a *Team Plan* that covers the *Team*'s goals for the development of *Team* member skills, and the steps the Team has taken or will take to reach those goals. Examples of what the plan could include are timelines, outreach to science, engineering, and math communities, and training courses.
- Portfolio must include a summary of how the *Team* acquired new mentors or acquired new knowledge and expertise from a mentor. Working with mentors from FIRST's Mentor Matching site is an acceptable way to learn from mentors.

Strongly Suggested Criteria for the Connect Award:

- Team provides clear examples of developing in person or virtual connections with individuals in the engineering, science, or technology community.
- Team actively engages with the engineering community to help them understand FIRST, the FIRST Tech Challenge, and the *Team* itself.
- The *Team* should refer to the Award Definitions for judging outlined in Appendix F for outreach and beable to provide supporting documentation to the judges, where applicable.

FIRST. FOR INSPIRATION & RECOGNITION OF SCIENCE & TECHNOLOGY

9.5.4 Innovate Award sponsored by RTX

Bringing great ideas from concept to reality.

The Innovate Award celebrates a *Team* that thinks imaginatively and has the ingenuity, creativity, and inventiveness to make their designs come to life. This judged award is given to the *Team* that has the most innovative and creative Robot design solution to any specific components in the FIRST Tech Challenge game. Elements of this award include elegant design, robustness, and 'out of the box' thinking related to design. Thisaward may address the design of the whole *Robot* or of a sub-assembly attached to the *Robot*. The creative component must work consistently, but a *Robot* does not have to work all the time during Matches to be considered for this award. The Team's Engineering Portfolio must include a summary of the design of the component or components and the *Team's Robot* to be eligible for this award. Entries must describe how the Team arrived at their solution.

Required Criteria for the Innovate Award sponsored by RTX:

- Team must show respect and Gracious Professionalism® to everyone they meet at a FIRST Tech Challenge event.
- Team must submit an Engineering Portfolio.
- The Engineering Portfolio must include examples of the Team's engineering content that illustrate how the *Team* arrived at their design solution.
- Robot or Robot sub-assembly must be creative, elegant, and unique in its design.
- Creative component must be stable, robust, and work reliably most of the time.

Strongly Suggested Criteria for the Innovate Award sponsored by RTX:

The portfolio could inspire the judges to ask the *Team* about the specific detailed engineering information.

9.5.5 Control Award:

Mastering Robot intelligence.

The Control Award celebrates a *Team* that uses sensors and software to increase the *Robot's* functionality in the field. This award is given to the *Team* that demonstrates innovative thinking to solve game challenges such as Autonomous operation, improving mechanical systems with intelligent control, or using sensors to achieve better results. The control component should work consistently in the Field. The Team's Engineering Portfolio must contain a summary of the software, sensors, and mechanical control, but would not include copies of the code itself.

Required Criteria for the Control Award:

- Team must show respect and Gracious Professionalism® to everyone they meet at a FIRST Tech Challenge event.
- Team must apply for the Control Award by filling out the Control Award Submission Form, located in Appendix E. The Control Award Submission Form must not exceed 2 pages.
- The Team must submit an Engineering Portfolio. The Engineering Portfolio must include engineering content that documents the control components.
- Control components must enhance the functionality of the Robot on the Playing Field.

Strongly Suggested Criteria for the Control Award:

- Advanced software techniques and algorithms are encouraged, but not required.
- Control components should work reliably.
- Learnings from the *Team* about what they tried and what did not work with regards to sensors, hardware, algorithms, and code could be included in the Engineering Portfolio.

9.5.6 Motivate Award

Sparking others to embrace the culture of *FIRST*!

This *Team* embraces the culture of *FIRST* and clearly shows what it means to be a *Team*. This judged award celebrates the *Team* that represents the essence of the *FIRST* Tech Challenge *Competition* through Gracious Professionalism and general enthusiasm for the overall philosophy of FIRST and what it means to be a FIRST Tech Challenge Team. This is a Team who makes a collective effort to make FIRST known throughout their school and community, and sparks others to embrace the culture of FIRST.

Required Criteria for the Motivate Award:

- Team must show respect and Gracious Professionalism® to everyone they meet at a FIRST Tech Challenge event.
- Team must submit an Engineering Portfolio. The Engineering Portfolio must include a Team organization plan, which could describe their future goals and the steps they will take to reach those goals. Examples of what the plan could include are *Team* identity, fund-raising goals, sustainability goals, timelines, outreach, finances, and community service goals.
- The *Team* must be an ambassador for *FIRST* programs.
- Team must be able to explain the individual contributions of each Team member, and how these applyto the overall success of the *Team*.

Strongly Suggested Criteria for the Motivate Award:

- Team takes part in their presentation, and actively engages with the judges.
- Team shows a creative approach to materials that market their Team and FIRST.
- Team can clearly show the successful recruitment of people who were not already active within the STEM community.
- Team could also summarize experiences and lessons learned from outreach.
- The Team should refer to the Award Definitions for judging outlined in Appendix F for outreach and beable to provide supporting documentation to the judges, where applicable.

9.5.7 Design Award

Industrial design at its best.

This judged award recognizes design elements of the *Robot* that are both functional and aesthetic. The Design Award is presented to *Teams* that incorporate industrial design elements into their solution. These design elements could simplify the *Robot's* appearance by giving it a clean look, be decorative in nature, or otherwise express the creativity of the *Team*. The *Robot* should be durable, efficiently designed, and effectively address the game challenge.

Required Criteria for the Design Award:

- Team must show respect and Gracious Professionalism® to everyone they meet at a FIRST Tech Challenge event.
- Team must submit an Engineering Portfolio with engineering content. This could be CAD images or Robot drawings of the Team's overall design and/or components.
- Team must document and implement strong industrial design principles, striking a balance between form, function, and aesthetics.

Strongly Suggested Criteria for the Design Award:

- Distinguishes itself from others by its aesthetic and functional design.
- Basis for the design is well considered (that is inspiration, function, etc.).
- Design is effective and consistent with *Team Plan* and strategy.



The portfolio could inspire the judges to ask the *Team* about specific detailed engineering information.

9.5.8 Promote Award (Optional)

This judged award is optional and may not be given at all *Tournaments*.

The Promote Award is given to the *Team* that is most successful in creating a compelling video message for the public designed to change our culture and celebrate science, technology, engineering, and math. Teams must submit a one-minute-long public service announcement (PSA) video based on the PSA subject for the season.

Team may win the Promote Award only once at a Championship level event and only once at a qualifying Tournament or league Tournament level event.

PSA Subject for 2023-2024 season:

"The best thing about FIRST Tech Challenge is..."

Required criteria for the Promote Award:

- Video must follow *FIRST* branding and design standards.
- Video cannot be longer than 60 seconds.
- Video must be of a high quality, as submissions may be used later to promote FIRST.
- Team must have rights to the music used in the video.
- Music and permissions must be listed in video credits.
- Video must have strong production value.
- Video must be submitted by the deadline given by the tournament director.
- Team must present a thoughtful and impactful video which appeals to the public.
- Creativity in interpreting the yearly theme is required.
- Follow video award submission guidelines.

9.5.9 Compass Award (Optional)

A beacon and leader in the journey of the FIRST Tech Challenge.

This judged award is optional and may not be given at all *Tournaments*.

The Compass Award recognizes an adult coach or mentor who has given outstanding guidance and support to a Team throughout the year and demonstrates to the Team what it means to be a Gracious Professional. The winner of the Compass Award will be chosen from candidates nominated by FIRST Tech Challenge Student Team members, via a 40-60 second video submission. The video must highlight how their mentor has helped them become an inspirational *Team*. We want to hear what sets the mentor apart.

Required criteria for the Compass Award:

- Video must follow *FIRST* branding and design standards.
- Video cannot be longer than 60 seconds.
- Video must be of a high quality, as submissions may be used later to promote FIRST.
- Team must have permission from the copyright owners for the music used in the video.
- Music and permissions must be listed in video credits.
- Video must be submitted by the deadline given by the tournament director.
- Video highlights the mentor's contribution to the *Team* and demonstrates what sets the mentor apart.

9.5.10 Judges' Choice Award

This award is optional and may not be given at all *Tournaments*.

During the Competition, the judging panel may meet a Team whose unique efforts, performance, or dynamics merit recognition, but does not fit into any of the existing award categories. To recognize these

unique Team, FIRST offers a customizable Judges Choice Award. The judging panel may select a Team to be honored, as well as the name of the Judges Choice Award. The Judges Choice Award recognizes a Team for their outstanding efforts but does not factor into the advancement criteria.

9.5.11 Winning Alliance Award

This award will be given to the winning Alliance represented in the final Match.

9.5.12 Finalist Alliance Award

This award will be given to the finalist *Alliance* represented in the final *Match*.

10.0 Dean's List Award

In an effort to recognize the leadership and dedication of the most outstanding secondary school Students from FIRST®, the Kamen family sponsors awards for selected 10th or 11th grade* Students known as the FIRST® Robotics Competition and the *FIRST*[®] Tech Challenge *FIRST* Dean's List Award.

There are three (3) levels of FIRST Dean's List Award Students.

- 1. FIRST Dean's List Semi-finalists comprised of the two (2) Students in their 10th or 11th school year nominated by each *Team*.
- 2. FIRST Dean's List Finalists The Students selected for each Regional Championship.
- 3. FIRST Dean's List Winners comprised of the ten (10) FIRST Robotics Competition and ten (10) FIRST Tech Challenge Students selected from the applicable FIRST Dean's List Finalists.

The Students who earn FIRST Dean's List status as a Semi-finalist, Finalist or Winner, are great examples of current Student leaders who have led their Teams and communities to increased awareness for FIRST and its mission. It is the goal of FIRST that these individuals will continue, post-award, as great leaders, student alumni. and advocates of FIRST.

In 2019, the Woodie Flowers Memorial Grant was established for Dean's List Award Winners pursuing STEAM fields of study.

For more information on the Dean's List Award, and to see past FIRST Tech Challenge winners, please visit our website! http://www.firstinspires.org/Robotics/ftc/deans-list

10.1 Eligibility

Every registered FIRST Tech Challenge Team can submit up to two (2) Students as FIRST Dean's List Award Semi-Finalists.

- Students must be a sophomore (grade 10) or junior (grade 11) to be eligible for this award.
 - o Note: For regions of the world that do not use grade levels such as this to identify years of schooling: This award is intended for Students who are two (2) to three (3) years away from entering college or university. Students that would be attending college or university in the next academic year are not eligible. Mentors will be asked for the year of graduation during the nomination process.
- The coach or mentor nominating the Student(s) must submit an essay explaining why the Student should receive this award. The essay must be 4,000 characters or less.

10.2 Criteria

Criteria for selection of the FIRST Dean's List Award shall include, but not be limited to a student's:



- Demonstrated leadership and commitment to the FIRST Core Values
- Effectiveness at increasing awareness of FIRST in their school and community
- Demonstrates passion for a long-term commitment to FIRST
- The student's individual contributions to their team contribute to the overall success of the team
- Proven experience in areas of science, technology, engineering, and mathematics (STEM)
- The student is a role model and can motivate and lead fellow team members

10.3 Dean's List Nominations

There are specific instructions on how to submit Dean's List Nominations. There are two sets of instructions, The Dean's List Nomination Guide – US, and the Dean's List Nomination Guide – International. Please visit our website for a copy of the guides, which provides in-depth information about the Dean's List, and step by step visual aids to complete the nominations.

Appendix A – Resources

Game Forum Q&A

https://ftc-qa.firstinspires.org/

Anyone may view questions and answers within the FIRST® Tech Challenge game Q&A forum without a password. To submit a new question, you must have a unique Q&A system user name and password for your team.

Volunteer Forum

Volunteers can request access to role specific volunteer forums by emailing FTCTrainingSupport@firstinspires.org. You will receive access to the forum thread specific to your role.

FIRST Tech Challenge Game Manuals

Part 1 and 2 - https://www.firstinspires.org/resource-library/ftc/game-and-season-info

FIRST Headquarters Pre-Event Support

Phone: 603-666-3906

Mon – Fri

8:30am - 5:00pm

Email: Firsttechchallenge@firstinspires.org

FIRST Websites

FIRST homepage – www.firstinspires.org

FIRST Tech Challenge Page – For everything FIRST Tech Challenge.

FIRST Tech Challenge Volunteer Resources – To access public volunteer manuals.

FIRST Tech Challenge Event Schedule – Find FIRST Tech Challenge events in your area.

FIRST Tech Challenge Social Media

FIRST Tech Challenge Twitter Feed - If you are on Twitter, follow the FIRST Tech Challenge Twitter feed for news updates.

FIRST Tech Challenge Facebook page - If you are on Facebook, follow the FIRST Tech Challenge page for news updates.

FIRST Tech Challenge YouTube Channel – Contains training videos, game animations, news clips, and more.

FIRST Tech Challenge Blog – Weekly articles for the FIRST Tech Challenge community, including outstanding volunteer recognition!

FIRST Tech Challenge Team Email Blasts – contain the most recent FIRST Tech Challenge news for teams.

Feedback

We strive to create support materials that are the best they can be. If you have feedback about this manual, please email firsttechchallenge@firstinspires.org. Thank you!



Appendix B – Robot Inspection Checklist

Team Number: _____ Robot Inspection Status (circle): READY/NOT READY

Team	Insp.	Robot Size Inspection	Rule #
		Robot is presented at inspection with all mechanisms (including all components of each mechanism), configurations, and decorations that will be used on the Robot.	<106>
		Separately test the Robot in all of its unique starting (pre-match setup) configurations. The Robot fits within the Sizing Tool without exerting undue force on the Sizing Tool sides and top.	<l06> <rg02></rg02></l06>
√	✓	General Robot Rules	Rule #
		Robot does not contain any components that could damage the Playing Field or other Robots.	<rg01>a&b</rg01>
		Robot does not contain materials that are hazardous.	<rg01>c</rg01>
		Robot poses no obvious unnecessary risk of entanglement.	<rg01>d</rg01>
		Robot does not contain sharp edges or corners.	<rg01>e</rg01>
		Robot does not contain animal-based, liquid, or gel materials.	<rg01>f&g</rg01>
		Robot does not contain materials that would cause a delay of game if released.	<rg01>h</rg01>
		Robot does not contain elements that electrically ground the Robot frame to the Playing Field.	<rg01>i</rg01>
		Robot does not contain closed gas, hydraulic, or vacuum based devices.	<rg01>j,k&l</rg01>
		Team number is visible from at least 2 opposite sides and meets requirements.	<rg03></rg03>
		Alliance Markers are present and meet requirements.	<rg04></rg04>
		Energy used by the Robot shall come only from approved sources.	<rg05></rg05>
		Robot is not capable of detaching its own components.	<rg06></rg06>
√	✓	Robot Mechanical Parts and Materials Rules	Rule #
		All components on the Robot are from allowable raw materials and Commercial Off The Shelf products.	<rm01> <rm02> <rm06></rm06></rm02></rm01>
√	✓	Robot Electrical Parts and Materials Rules	Rule #
		Exactly one Main Power Switch is installed properly, labeled, readily accessible, and visible. The TETRIX, REV, MATRIX, and AndyMark switches are the only allowed Main Power Switch.	<re01></re01>
		All batteries are securely attached to the Robot in a location where they will not make direct contact with other Robots or the Playing Field.	<re02></re02>
		Exactly one (1) Robot Main Battery Pack of an approved type is on the Robot and it is properly connected to the Main Power Switch and either the REV Expansion Hub or REV Control Hub.	<re03> <re05>a, b(iⅈ)</re05></re03>
		Where present, fuses must not be replaced with fuses of higher rating than originally installed or according to manufacturer's specifications. Fuses are single use only.	<re04></re04>
		12V Power: REV Control Hub, REV Expansion Hubs, REV Servo Power Modules, REV SPARKmini Motor Controllers, Power Distribution Blocks, Voltage/Current Sensors, 12V Input Power LED Controllers are connected to 12V power by connecting directly to the Robot main power switch, a pass-through power connector on a REV Control Hub or REV Expansion Hub, or a Power Distribution Block.	<re05>b</re05>

	Allowed sensors only receive power from the REV Expansion Hub or REV Control Hub via analog, digital, encoder, or I2C ports.	<re05>c</re05>
	The smartphone Robot Controller Android device (if used) is powered by its internal battery or by the built-in charging feature of the REV Expansion Hub.	<re05>f</re05>
	Exactly one Robot Controller (a) smartphone Android Device + REV Expansion Hub or b) REV Control Hub) is required. One additional REV Expansion Hub is allowed.	<re06></re06>
	The only allowed Motor and Servo Controllers are: REV Expansion Hub, REV Control Hub, REV Servo Power Module, REV SPARKmini Motor Controller, and VEX Motor Controller 29.	<re08></re08>
	Robot contains no more than eight (8) DC motors of the allowed models.	<re09></re09>
	Robot contains no more than twelve (12) servos. They must be compatible with the attached REV Expansion Hub, REV Control Hub, REV Servo Power Module, or VEX Motor Controller 29 and not exceed the manufacturer specifications for the controller.	<re10></re10>
	Robot contains only allowed sensors and they are connected to allowed ports on the REV Expansion Hub or the REV Control Hub.	<re11>a</re11>
	Logic Level Converters and I2C Sensor Adapter Cables are allowed to connect sensors to a compatible REV Control Hub or REV Expansion Hub port.	<re11>b</re11>
	Simple I2C multiplexors, I2C to SPI protocol converters are allowed to connect sensors to an I2C port. COTS I2C to SPI protocol converters are allowed.	<re11>e&f</re11>
	Focused light sources are not allowed except for a) sensors containing class 1, non-visible spectrum lasers or b) integrated light sources within otherwise legal devices. Light sources are powered by allowed methods.	<re12>a, c, f, & g</re12>
	Video recording devices, if used, are powered by an internal battery and their wireless communication capability is turned off.	<re13>a</re13>
	Vision Cameras must be UVC compatible and are connected directly to a REV Control Hub, or to the Robot Controller through a powered USB Hub.	<re13>b(ii)</re13>
	Only single image sensor devices are allowed. Vision Sensors follow sensor rules in <re11>. Stereoscopic cameras are not allowed.</re11>	<re13>b(iii)</re13>
	Power and motor control wires have consistent color coding with different colors used for the positive (red, white, brown, or black with a stripe) and Negative/Common (black or blue) wires.	<re14>f</re14>
	Power, motor control, servo, sensor, and LED wires are the correct size.	<re14>i</re14>
	If electronics are grounded to the Robot frame, the only approved method is the REV Robotics Resistive Grounding Strap. If needed, the REV Robotics Anderson Powerpole to XT30 adapter may connect to the Resistive Grounding Strap. No other grounding straps or cables are allowed.	<re14>k</re14>
	Approved electrical and electronic devices may be modified to make them more usable; they may not be modified internally or in any way that affects their safety.	<re15></re15>
√ √	Wheel/Tread Playing Field Damage Test - Optional	Rule #
	Robot did not damage the Playing Field tile. [This is an optional test that is performed only when an Inspector believes that the drivetrain tread may damage a Playing Field tile.]	<107>
√ ✓	Team Game Element Inspection – Optional Game Element	Rule #
	Team must present all of their Alliance specific TGEs for inspection. The element must be entirely red or blue.	<te01> <te02></te02></te01>



		The TGE satisfies the Robot Mechanical Parts and Materials Rules in section 7.3.2 and does not contain any fiducial markers or retroreflective materials.	<te03></te03>
		Max. size of the TGE is 4 inches (10.16 cm) by 4 inches (10.16 cm) by 4 inches (10.16 cm). The min. size of the TGE is 3 inches (7.62 cm) by 3 inches (7.62 cm).	<te04></te04>
		The TGE is labeled with their Team number (numerals only) and they meet requirements.	<te05></te05>
		The TGE does not contain electronics, or any other part or material that violates Robot construction rules outlined in section 7.3.	<te06></te06>
		The TGE does not use or resemble any current season's COTS scoring elements.	<te06>c <te07></te07></te06>
			<1E01>
√	√	Team Scoring Element Inspection – Optional Scoring Element	Rule #
√	√	Team Scoring Element Inspection – Optional Scoring Element Teams must present all of their Alliance specific TSEs for inspection. The predominant color of the TSE must match the Team's assigned Alliance for the Match (red or blue).	
√	√	Teams must present all of their Alliance specific TSEs for inspection. The predominant	Rule # <dr01></dr01>
√	√	Teams must present all of their Alliance specific TSEs for inspection. The predominant color of the TSE must match the Team's assigned Alliance for the Match (red or blue). The TSE must have the general configuration of an airplane with a defined fuselage	Rule # <dr01> <dr03></dr03></dr01>

General Comment(s) or Reason(s) for Failure (if any):			
Robot Inspector			

Appendix C – Field Inspection Checklist

~		Drive Team Members Present	Rule #
		Coach (required), Driver 1 (required); Driver 2 (optional), Human Player (optional)	<c06></c06>
~	/	Driver Station and Robot Controller Hardware Rules	Rule #
		Driver Station consists of only of one Android device (Circle): Motorola Moto G4 Play, Motorola Moto G5, Motorola G5 Plus, Motorola Moto E4, Motorola Moto E5, Motorola Moto E5 Play, or REV Driver Hub.	<re07> <ds01></ds01></re07>
		Smartphone Robot Controller Android device (if used) is one of the following models (Circle): Motorola Moto G4 Play, Motorola Moto G5, Motorola G5 Plus, Motorola Moto E4, Motorola Moto E5, Motorola Moto E5 Play. The Android device's USB interface only connects to a REV Expansion Hub or a USB hub.	<re07></re07>
<u> </u>		The touch display screen of the Driver Station is accessible and visible to field personnel.	<ds02></ds02>
ĺ		The Driver Station consists of no more than two of the allowed gamepads (Logitech F310, Xbox 360, wired Sony DualShock 4 for PS4, Etpark Wired Controller for PS4, Sony DualSense Wireless Controller for PS5), or Quadstick game controller in any combination.	<ds03></ds03>
		No more than one (1) optional external battery powered or unpowered USB hub is present.	<ds04></ds04>
		No more than one (1) optional COTS USB external battery connected to the REV Driver Hub USB-C port or a USB hub connected to the smartphone Android Device is present.	<d\$05></d\$05>
		Driver Station smartphone Android device (if used) USB interface is only connected to either a Mini USB to OTG cable or combination of cables connected to one USB Hub, or one gamepad USB cable connected to an OTG Micro Adapter.	<ds06></ds06>
		Driver Station Carrier (if present) meets requirements.	<ds07></ds07>
		The Driver Station Android Device only plays allowed sounds.	<ds08></ds08>
DS	RC	Driver Station (DS) and Robot Controller (RC) Software Rules	Rule #
DS	RC	Driver Station (DS) and Robot Controller (RC) Software Rules Android smartphone(s), REV Driver Hub, and REV Control Hub are named with the official team number followed by –DS or –RC as appropriate.	Rule # <rs01></rs01>
DS	RC	Android smartphone(s), REV Driver Hub, and REV Control Hub are named with the official	<rs01> <rs03></rs03></rs01>
DS	RC	Android smartphone(s), REV Driver Hub, and REV Control Hub are named with the official team number followed by –DS or –RC as appropriate.	<rs01> <rs03> <rs03> <rs05></rs05></rs03></rs03></rs01>
DS		Android smartphone(s), REV Driver Hub, and REV Control Hub are named with the official team number followed by –DS or –RC as appropriate. Android operating system satisfies the requirements – version 7.0 or higher. DS and RC apps are version 9.0 or higher and the DS and RC apps have the same version	<rs01> <rs03> <rs03></rs03></rs03></rs01>
DS	NA	Android smartphone(s), REV Driver Hub, and REV Control Hub are named with the official team number followed by –DS or –RC as appropriate. Android operating system satisfies the requirements – version 7.0 or higher. DS and RC apps are version 9.0 or higher and the DS and RC apps have the same version numbers. The RC app is not installed on the DS and the DS app is not installed on the RC.	<rs01> <rs03> <rs03> <rs05> <rs06></rs06></rs05></rs03></rs03></rs01>
NA NA	NA	Android smartphone(s), REV Driver Hub, and REV Control Hub are named with the official team number followed by –DS or –RC as appropriate. Android operating system satisfies the requirements – version 7.0 or higher. DS and RC apps are version 9.0 or higher and the DS and RC apps have the same version numbers. The RC app is not installed on the DS and the DS app is not installed on the RC. REV Driver Hub (if used) operating system is version 1.2.0 or higher.	<rs01> <rs03> <rs03> <rs05> <rs06> <rs03></rs03></rs06></rs05></rs03></rs03></rs01>
	NA	Android smartphone(s), REV Driver Hub, and REV Control Hub are named with the official team number followed by –DS or –RC as appropriate. Android operating system satisfies the requirements – version 7.0 or higher. DS and RC apps are version 9.0 or higher and the DS and RC apps have the same version numbers. The RC app is not installed on the DS and the DS app is not installed on the RC. REV Driver Hub (if used) operating system is version 1.2.0 or higher. REV Driver Hub (if used) has Bluetooth turned off and Wi-Fi turned on. REV Control Hub (if used) operating system is version 1.1.2 or higher and the firmware	<rs01> <rs03> <rs03> <rs05> <rs06> <rs07></rs07></rs06></rs05></rs03></rs03></rs01>
NA	NA	Android smartphone(s), REV Driver Hub, and REV Control Hub are named with the official team number followed by –DS or –RC as appropriate. Android operating system satisfies the requirements – version 7.0 or higher. DS and RC apps are version 9.0 or higher and the DS and RC apps have the same version numbers. The RC app is not installed on the DS and the DS app is not installed on the RC. REV Driver Hub (if used) operating system is version 1.2.0 or higher. REV Driver Hub (if used) has Bluetooth turned off and Wi-Fi turned on. REV Control Hub (if used) operating system is version 1.1.2 or higher and the firmware version is 1.8.2 or higher.	<rs01> <rs03> <rs03> <rs05> <rs06> <rs07> <rs03> <rs07></rs07></rs03></rs07></rs06></rs05></rs03></rs03></rs01>
NA NA	NA	Android smartphone(s), REV Driver Hub, and REV Control Hub are named with the official team number followed by –DS or –RC as appropriate. Android operating system satisfies the requirements – version 7.0 or higher. DS and RC apps are version 9.0 or higher and the DS and RC apps have the same version numbers. The RC app is not installed on the DS and the DS app is not installed on the RC. REV Driver Hub (if used) operating system is version 1.2.0 or higher. REV Driver Hub (if used) has Bluetooth turned off and Wi-Fi turned on. REV Control Hub (if used) operating system is version 1.1.2 or higher and the firmware version is 1.8.2 or higher. REV Expansion Hub (if used) firmware version is 1.8.2 or higher. REV Control Hub (if used) has Wi-Fi turned on, Bluetooth is turned off, and the password is	<rs01> <rs03> <rs03> <rs05> <rs06> <rs07> <rs03> <rs07></rs07></rs03></rs07></rs06></rs05></rs03></rs03></rs01>
NA NA	NA	Android smartphone(s), REV Driver Hub, and REV Control Hub are named with the official team number followed by –DS or –RC as appropriate. Android operating system satisfies the requirements – version 7.0 or higher. DS and RC apps are version 9.0 or higher and the DS and RC apps have the same version numbers. The RC app is not installed on the DS and the DS app is not installed on the RC. REV Driver Hub (if used) operating system is version 1.2.0 or higher. REV Driver Hub (if used) has Bluetooth turned off and Wi-Fi turned on. REV Control Hub (if used) operating system is version 1.1.2 or higher and the firmware version is 1.8.2 or higher. REV Expansion Hub (if used) firmware version is 1.8.2 or higher. REV Control Hub (if used) has Wi-Fi turned on, Bluetooth is turned off, and the password is different than the factory default value of "password". Android smartphones (if used) are set to airplane mode, Wi-Fi is turned on, and Bluetooth is	<rs01> <rs03> <rs03> <rs05> <rs06> <rs07> <rs07> <rs07></rs07></rs07></rs07></rs06></rs05></rs03></rs03></rs01>
NA NA	NA	Android smartphone(s), REV Driver Hub, and REV Control Hub are named with the official team number followed by –DS or –RC as appropriate. Android operating system satisfies the requirements – version 7.0 or higher. DS and RC apps are version 9.0 or higher and the DS and RC apps have the same version numbers. The RC app is not installed on the DS and the DS app is not installed on the RC. REV Driver Hub (if used) operating system is version 1.2.0 or higher. REV Driver Hub (if used) has Bluetooth turned off and Wi-Fi turned on. REV Control Hub (if used) operating system is version 1.1.2 or higher and the firmware version is 1.8.2 or higher. REV Expansion Hub (if used) firmware version is 1.8.2 or higher. REV Control Hub (if used) has Wi-Fi turned on, Bluetooth is turned off, and the password is different than the factory default value of "password". Android smartphones (if used) are set to airplane mode, Wi-Fi is turned on, and Bluetooth is turned off.	<rs01> <rs03> <rs03> <rs05> <rs06> <rs07> <rs07> <rs07> <rs07> <rs03> <rs07></rs07></rs03></rs07></rs07></rs07></rs07></rs06></rs05></rs03></rs03></rs01>
NA NA	NA	Android smartphone(s), REV Driver Hub, and REV Control Hub are named with the official team number followed by –DS or –RC as appropriate. Android operating system satisfies the requirements – version 7.0 or higher. DS and RC apps are version 9.0 or higher and the DS and RC apps have the same version numbers. The RC app is not installed on the DS and the DS app is not installed on the RC. REV Driver Hub (if used) operating system is version 1.2.0 or higher. REV Driver Hub (if used) has Bluetooth turned off and Wi-Fi turned on. REV Control Hub (if used) operating system is version 1.1.2 or higher and the firmware version is 1.8.2 or higher. REV Expansion Hub (if used) firmware version is 1.8.2 or higher. REV Control Hub (if used) has Wi-Fi turned on, Bluetooth is turned off, and the password is different than the factory default value of "password". Android smartphones (if used) are set to airplane mode, Wi-Fi is turned on, and Bluetooth is turned off. Android devices are not connected to any local networks. All remembered Wi-Fi Direct Groups and Wi-Fi connections on Android devices have been	<rs01> <rs03> <rs03> <rs05> <rs06> <rs07> <rs07> <rs07> <rs07> <rs03> <rs07></rs07></rs03></rs07></rs07></rs07></rs07></rs06></rs05></rs03></rs03></rs01>



NA	The FTC Robot Controller app on the smartphone Android Device (if used) is the default application, the application launches, and no other messages pop up.	<rs05></rs05>
NA	Robot Controller is set to the correct Wi-Fi channel (if required by the competition).	<c14></c14>
~	Robot Operation Verified at the Playing Field	Rule #
	Robot Controller connects with the Driver Station.	
	Robot switches between autonomous and driver-controlled operation correctly.	<rs04></rs04>
	Robot starts and stops when commanded by the Driver Station.	
	The team understands how to disable their Robot, if instructed to do so by a referee.	
~	Queuing Process Information Provided at the Playing Field	Rule #
	Team understands that software changes are not allowed in the Queue Area.	
	Team understands that the match schedule is only an estimate. Matches may start prior to or after the scheduled time. It is the team's responsibility to monitor schedule changes and show up when required.	
	Team knows that they are responsible for attaching their Team Supplied Alliance Marker on two sides of their Robot before they approach the competition playing field.	<rg04></rg04>

General Comments or Reason(s) for Failure (if any):	

Field Inspector

Appendix D – Control Award Instructions

To be considered for the Control Award, *Teams* must submit a Control Award Submission Form. On this form, Teams identify and summarize the key control elements that make their Robot unique. Included is a description of key observable actions for judges to look for as well as the sensor and algorithm use that make it all possible. Judges will use this form for both evaluating control designs and when observing Robots on the Competition field. Teams should identify the control aspects of their Robot that they are most proud of. The Control Award Submission form may not exceed 2 pages.

Autonomous Objectives

List the overall actions that the *Robot* can complete. These should include scoring actions as well as other positioning and defensive operations. The *Robot* does not have to do accomplish all these in every program but should be demonstrable in at least one Autonomous program.

Sensors Used

List the sensors used to control the *Robot* and a brief description of how they are used.

Key Algorithms

List the key algorithms that make your *Robot* unique or are vital to its success on the field. Particularly complex or unique algorithms or those that integrate the use of multiple sensors are good candidates to highlight here.

Driver Controlled Enhancements

List any advanced control elements that are used during the *Driver-Controlled* period to enhance performance. These may include signaling operations when a certain condition is detected on the field, auto-complete functions, fail-safe algorithms, or just any enhancements that make the control of the Robot easier or more efficient for the driver.

Engineering Portfolio References

Judges also use the Teams Engineering Portfolio to evaluate details of the control elements. To help guide this effort, Teams should provide pointers to where in the Engineering Portfolio control related information is located.

Some things to consider including as pointers are: Team goals for control activities, strategies for Autonomous mode, Robot performance with and without added sensors, requirements for successful Autonomous operation, performance improvements using algorithms and sensors, and testing results.

Autonomous Program Diagrams

For Autonomous operations, Teams should draw and label a typical path the Robot takes. The labeled points identify key observable actions the Robot makes. For each labeled point, a brief description of what is taking place should be noted (see example below). Especially describe those key operations where adjustments are made to ensure accurate and repeatable performance.

For Teams with multiple Autonomous programs, it is not necessary to document every program on a separate sheet. It is sufficient document the most commonly used or complex programs and note variances for the rest.

Additional Summary Information (optional)

For those Teams that have developed many different control features, they may want to provide additional information to assist the judges in understanding their work. This is a place where *Teams* can provide more detailed information about their designs. It should be organized such that separate topics are easily identified and can be quickly found.





Control Award Submission Form

Please turn in this sheet during your judge interview along with your engineering portfolio

Team #	Team Name:

Highly Recommended for Remote Submissions – Please provide a link to a video recording of the controls described in this submission form:

Autonomous objectives:


Sensors used:

Key algorithms:

Driver controlled enhancements:

Engineering portfolio references:

Autonomous program diagrams:



Revision 1: 9/9/2023

Appendix F – Award Terms and Definitions

All teams are required to adhere to the following definitions in their award submissions and in their judge interviews.

Team Support Definitions

Started (a FIRST LEGO League / FIRST Tech Challenge / FIRST Robotics Competition team) "A team has **Started** a team if they have met one of the following requirements:

- 1. Funded or sourced funding (i.e., grants or sponsorship) of at least 50% of the team registration fee.
- 2. Made the team aware of FIRST and/or the specific program and helped the team with the official registration process.

As well as:

- 3. The Started team agrees that the Starting team did in fact Start them.
- 4. The Started team competes in an official FIRST event.

The intent of this definition is to make it clear when a team is responsible for bringing a new group into a specific FIRST program. The keys here are helping with funding OR introducing the new group to FIRST and helping them get registered as a team in their specific program.

Cases where one team has Started another team will be rare. Cases where one team has Mentored or Assisted a team through their initial phases are very valuable, however they are distinct from **Starting** a team.

Teams are encouraged to provide documentation as a reference for judges (e.g., a letter from the team that has been Started) supporting the fact that they did indeed Start each team referred to in the submission. New teams can only be **Started** by two teams and can only provide two of these letters. All provided documentation may be made available for judges during the second interviews as an additional resource item.

Mentored (a FIRST LEGO League / FIRST Tech Challenge / FIRST Robotics Competition team) - "A team has *Mentored* a team if they have met all the following requirements:

- 1. Providing consistent communication, either in person or via phone/email/video conference, to the **Mentored** team helping with technical or non-technical FIRST program specific issues.
- 2. The *Mentored* team agrees that the *Mentoring* team did in fact *Mentor* them.

Mentoring a team is a consistent and ongoing relationship. To be considered a *Mentoring* team, you must be providing regular help to the *Mentee* team during the season within their schedule. We understand that not all teams meet as regularly as once a week, however this is a general standard. For some teams, communication may be more infrequent and still considered consistent. We encourage teams to use their best discretion when evaluating these edge cases. Helping teams on a less consistent basis is still immensely valuable and important, however it would simply be considered **Assisting** a team.

Teams are encouraged to provide documentation (e.g., a letter from the team that has been *Mentored*) supporting the fact that they did indeed *Mentor* each team referred to in the submission. All provided documentation may be made available for judges during the second interviews as an additional resource item.

Examples (but not limited to) of consistent communication for *Mentoring* a team include:



- Team A regularly sends students to a nearby school to help their FIRST LEGO League team(s) with their robot design and project presentations.
- Team A sends an email to Team B asking for advice on future robot design. The two teams email back and forth over a period of time exchanging questions and answers.
- Team A meets Team B at a competition. Team B expresses concern that their team is struggling to keep the team going and is looking for help. The two teams live far away from each other, but over the next year, they exchange many emails, they video chat a few times during the off-season and even meet in person.

Examples (but not limited to) of **not** *Mentoring* a team:

- Answering a single email question.
- Inviting a team to your shop so they may make parts on your machinery.
- Hosting a team in your build space during inclement weather when they are unable to access their own facilities.
- Giving a robot part to another team.
- Allowing a team to practice at your practice facility.

Assisted (a FIRST LEGO League / FIRST Tech Challenge / FIRST Robotics Competition team) - "A team has **Assisted** a team if they have met all the following requirements:

- 1. Providing communication, either in person or via phone/email/video conference, to the Assisted team helping with technical or non-technical program specific issues. OR Providing funding and/or supplies to the Assisted team.
- 2. The **Assisted** team agrees that the **Assisting** team did in fact **Assist** them.

Assisting a team is a form of Mentorship, however it does not require the long term or consistent communication that is a defining characteristic of **Mentorship**. It is expected that all *FIRST* Tech Challenge teams are constantly assisting their fellow FIRST teams, and it is not necessary to try and document or count all the instances of **Assisting** that your team has participated in.

Examples (but not limited to) of **Assisting** a Team:

- Answering a single email question.
- Inviting a team to your shop so they may make parts on your machinery.
- Hosting a team in your build space during inclement weather when they are unable to access their own facilities.
- Giving a robot part to another team.
- Allowing a team to practice at your practice facility

Provided Published Resources (to a FIRST LEGO League / FIRST Tech Challenge / FIRST Robotics Competition team) – A team has **Provided Published Resources** to a team if they have met all the following requirements:

- 1. The team has created resources designed to aid teams with technical or non-technical FIRST program specific issues.
- 2. The resources have been published or presented publicly. (e.g., Presented at a conference, published on a team website, etc.)

Many FIRST Tech Challenge teams have created a wealth of resources that benefit numerous teams. This kind of assistance is enormously valuable to our community and is heavily encouraged. However, these acts do not meet the definition of *Mentoring* since they lack consistent communication involved in mentoring. To recognize and encourage these important efforts, the definition of Provided Published Resources was created.

Teams are encouraged to provide documentation (e.g., Letters from teams who have used the resources; screenshots of downloads/engagement/digital impression statistics; attendance numbers) supporting the overall reach of their Published Resources.

All provided documentation may be made available for judges during the second interviews as an additional resource item.

Examples (but not limited to) of *Providing Published Resources*

- Team A creates and publishes a scouting database compiling statistical data from competitions, and the database is downloaded and used by other teams.
- Team A creates and gives a presentation on FIRST fundraising to an audience of 15 local FIRST Tech Challenge and FIRST LEGO League teams.
- Team A develops and publishes a mobile app that contains *FIRST* LEGO League tutorials, and the app is downloaded and used by FIRST LEGO League teams.
- Team A creates and publishes FIRST Tech Challenge drivetrain video tutorials on YouTube, and videos are watched and used by FIRST Tech Challenge teams.

Event Support Definitions:

Ran – A team has **Run** an event if they have met all the following requirements:

- 1. Team members are involved in most of the planning of the event.
- 2. Team members are involved in most of the on-site event execution or have arranged for and are supervising the volunteers to handle most of the on-site event execution.

Running an event means that this event would not be possible without the efforts and actions of the given team. The team in question must be responsible for most of the work that goes into the event.

Teams are encouraged to provide documentation (e.g., a letter from organizing body/Program Delivery Partner that the event was *Run* for) supporting the fact that they did indeed *Run* the event. All provided documentation may be made available for judges during the second interviews as an additional resource item.

Examples (but not limited to) of *Running* an event.

Team A acts as most of the planning committee for a FIRST LEGO League event, and team members recruit and train the event volunteers.

FIRST. FOR INSPIRATION & RECOGNITION OF SCIENCE & TECHNOLOGY

Hosted - A Team has **Hosted** an event if they have met one of the following requirements:

- 1. The event takes place at a team facility.
- 2. The event takes place at a facility arranged for by the team.

Hosting an event occurs when a team opens one of their own facilities or arranges for a facility to allow for an event to occur. Often teams will Run and Host the same event, but these terms do not necessarily have to be linked.

Supported - A team has **Supported** an event if they have met any of the following requirements:

- 1. Multiple team members are involved in some part of the planning of the event.
- 2. Multiple team members are involved in the on-site or online event execution for the entirety of the event (i.e., Team members have volunteered for the entirety of the event)

Teams *Support* events by helping with the planning or execution of the event. This is less encompassing than **Running** an event.

Examples (but not limited to) of **Supporting** an event:

- Having multiple team members volunteer at the entirety of an event.
- Having a few mentors serve on a large planning committee for a *FIRST* Tech Challenge regional event.

Examples (but not limited to) that do **not** qualify as **Supporting** an event.

- Having 1 team member volunteer at an event.
- Helping tear down the field at the end of an event.
- Having 1 mentor serve on a large planning committee for a FIRST Tech Challenge regional event.

Reached - A team has Reached someone if someone has interacted or observed the team in some capacity whether it be digitally or in person, regarding the *Reaching* team's program(s).

Reach is the all-encompassing number of people who became aware of your team via a stated medium/event. **Reach** requires tangible interaction or observation of the team, not merely seeing the team in the background of a show or public exhibit.

Examples (but not limited to) of *Reaching*:

- 6,000,000 people watch a TV show that features a team's robots. This team has *Reached*. 6,000,000 people.
- 1,000,000 people attend an event where the team has an exhibit. However, only 500 of those people saw the team's actual exhibit. This team has *Reached* 500 people.
- 30,000 people attend a football game, where the team performs with their robots during the halftime show. This team has *Reached* 30,000 people.
- 700 people follow a team on Instagram. This team *Reached* people 700 people.

Examples (but not limited to) of **not Reaching**:

- 6,000,000 people watch a TV show in which the team's robots are used as background props. Since the robots nor the team have been featured, this team has not *Reached* the audience.
- 30,000 people attend a football game, where the team's name is shown on the big screen at the stadium. This is not a tangible interaction or observation of the team; thus, this team has not *Reached* the audience.

The goal of using *Reach* in submissions is to accurately convey the number of people who have become aware of your team. However, it is difficult to provide exact numbers when it comes to the numerous public demonstrations teams participate in every year. It is important that teams do not embellish or exaggerate these numbers, as doing so would paint a misleading picture of the team's accomplishments. When in doubt, teams should try and estimate on the low end.

Teams are encouraged to provide documentation that shows the basis of their estimates of **Reach**. (e.g., Letters from event organizers stating event attendance and specific area attendance) Documented evidence and breakdowns of *Reach* numbers are far more compelling than simply stating the team's estimated *Reach*.

Advocated - A team has engaged in **Advocacy** if they meet any of the following criteria:

- 1. Met with government officials, community leaders, school administration, or business leaders (or their staff) to discuss and engage with and promote public policy changes towards the promotion of STEM/FIRST.
- 2. Developed relationships with government officials, community leaders, school administration, or business leaders (or their staff) to promote public policy changes towards the promotion of STEM/FIRST.
- 3. Served as a resource for government officials, community leaders, school administration, or business leaders (or their staff) as they create public policy changes towards the promotion of STEM/FIRST.

Examples (but not limited to) of engaging in *Advocacy* are:

- Attending an advocacy day where teams from the area met with local officials on afterschool STEM engagement programs.
- Working with leaders to craft a bill or resolution that was introduced.

Examples (but not limited to) of **not** engaging in **Advocacy** are:

- Using social media/tweeting to government officials.
- Volunteering for a campaign.
- Hosting a table/tabling/handing out flyers at parade or event (people must engage not just a passive act).
- Soliciting and recruiting sponsors solely for your team (i.e., fundraising).

Teams are encouraged to be specific about when they started an initiative or participated in one. It should be part of their current season.

An additional resource item is defined as a resource that is shared with the judges during their team judging second interviews or pit interviews. It may be a poster, video, engineering notebook, PowerPoint, or any additional materials to enhance the team interview and provide proof on the team's process and journey through their season.

